VOLUME 34 • AUTHOR INDEX

Abadie V *see* de Lonlay-Debeney P *et al*
Abbott M *see* Kang S *et al*
Abernathy CR *see* Colman SD *et al*
Abu-Libdeh M *see* Zlotogora J *et al*
Abu-Srair H *see* El-Harith EA *et al*
Adam MF *see* Brézin AP *et al*
Adinolfi M *see* Sherlock J *et al*
Agarwal SS *see* Gulati R *et al*
Aguado S *see* Ariza M *et al*
Ahluwalia JS *see* Delatycki MB *et al*
Ajioka RS *et al*. Recombinations defining centromeric and telomeric borders for the hereditary haemochromatosis locus, **28**
Akarsu AN *et al*. Genetic linkage study of familial Mediterranean fever (FMF) to 16p13.3 and evidence for genetic heterogeneity in the Turkish population, **573**
Aksu O *see* Özkinay FF *et al*
Al-Awadi SA *see* Sabry MA *et al*
Albertos J *see* Robledo M *et al*
Albrizio M *see* Bobba A *et al*
Alfageme I *see* Antiñolo G *et al*
Al-Gazali L *see* Campbell DA *et al*
Al-Gazali LI *see* Brown KA *et al*
Al-Gazali LI *et al*. Further delineation of Nevo syndrome, **366**
Alhadeff J *see* Cragg H *et al*
Allanson JE *et al*. De Lange syndrome: subjective and objective comparison of the classical and mild phenotypes, **645**
Allard C *see* de Braekeleer M *et al*
Allen J *see* Kang S *et al*
Alliet P *see* Jaeken J *et al*
Al-Naggar RL *see* Sabry MA *et al*
Al-Shahri A *see* El-Harith EA *et al*
Al-Torki NA *see* Sabry MA *et al*
Alvarez J *see* Ariza M *et al*
Alvarez V *see* Ariza M *et al*
Amiel J *see* de Lonlay-Debeney P *et al*
Anderson CE *see* Wallerstein R *et al*
Andrews T *see* Patel JS *et al*
Angelini C *see* Fanin M *et al*
Annerén G *see* Arnell H *et al*
Ansari K *see* Wallerstein R *et al*
Anten HBM *see* de Die-Smulders CEM *et al*
Antiñolo G *et al*. Genotype-phenotype relationship in 12 patients carrying cystic fibrosis mutation R334W, **89**
Antonarakis SE *see* Bittencourt MC *et al*
Apfelstedt-Sylla E *see* Kohl S *et al*
Applegarth DA *see* Coulter-Mackie MB *et al*
Arboleda H *et al*. Wiedemann-Rautenstrauch neonatal progeroid syndrome: report of three new patients, **433**
Arena F *see* Pai GS *et al*
Arena JF *see* Stevenson RE *et al*
Arinami T *see* Sohda S *et al*
Ariza M *et al*. A family with a milder form of adult dominant polycystic kidney disease not linked to the PKD1 (16p) or PKD2 (4q) genes, **587**
Armour JAL *see* Gausden E *et al*
Arnell H *et al*. The genetics of primary nocturnal enuresis: inheritance and suggestion of a second major gene on chromosome 12q, **360**
Arnheim N *see* Kunst CB *et al*
Arrizurieta E *see* Iglesias DM *et al*
Asher Jr JH *see* Morell R *et al*
Attenhofer-Haner M *see* Garvin AM *et al*
Aubert D *see* Giraudeau F *et al*
Aubin G *see* de Braekeleer M *et al*
Augé J *see* Mégarbané A *et al*
Aurias A *see* Ryan AK *et al*
Avramopoulos D *et al*. A case of apparent trisomy 21 without the Down's syndrome phenotype, **597**
Axton R *et al*. The incidence of PAX6 mutation in patients with simple aniridia: an evaluation of mutation detection in 12 cases, **279**
Ayyash H *et al*. A report of a child with a deletion (9)(q34.3): a recognisable phenotype?, **610**
Azibi K *see* Carrié A *et al*

Bach J-F *see* Brézin AP *et al*
Bachner L *see* Portes VD *et al*
Bakalinova D *see* Al-Gazali LI *et al*
Baker E *see* Narahara K *et al*
Bakkaloglu A *see* Akarsu AN *et al*
Bakker E *see* Kant SG *et al*
see Losekoot M *et al*
see van Essen AJ *et al*
Bal J *see* Żekanowski C *et al*
Bankier A *see* Delatycki MB *et al*
Bao Y *see* Shen J *et al*
Baraitser M *see* Reardon W *et al*
see Wilson LC *et al*
Barber JCK *see* Power MM *et al*
Barbi G *see* Avramopoulos D *et al*
see Happle R *et al*
Barišić I *see* Flomen RH *et al*
Barker DJP *see* Henry JA *et al*
Barnes C *see* Skirton H *et al*
Barnes C *et al*. Report of the Fifth European Meeting on Psychosocial Aspects of Genetics: *conference report*, **346**
Barnicoat AJ *et al*. Clinical, cytogenetic, and molecular analysis of three families with FRAXE, **13**
Barone R *see* Jaeken J *et al*
Barr DGD *see* Fitzpatrick DR *et al*
Barrett TG, Bundey SE. Wolfram (DIDMOAD) syndrome: *syndrome of the month*, **838**
Barton D *see* Stallings R *et al*
Barton DE *see* Dow DJ *et al*
Bastaki L *see* Sabry MA *et al*
Bastert G *see* Hamann U *et al*
Bathke KD *see* Timmerman V *et al*
Batsuuri J *see* Pandya A *et al*
Baumer A *see* Schinzel A *et al*
Beach R *see* Patel JS *et al*
Beales PL *et al*. Bardet-Biedl syndrome: a molecular and phenotypic study of 18 families, **92**
Béchetoille A *see* Brézin AP *et al*
Beck NE *see* Tomlinson IPM *et al*
Beemer FA *see* Ryan AK *et al*
Behnam JT *see* Seller MJ *et al*
Beighton P *see* Gardner JC *et al*
Beis MJ *see* Coulter-Mackie MB *et al*
Beldjord C *see* Carrié A *et al*
see Portes VD *et al*
Belmouden A *see* Brézin AP *et al*
Belohradsky B *see* Ryan AK *et al*
Benítez J *see* Robledo M *et al*
Bengtsson B *see* Arnell H *et al*
Benlian P *see* Foubert L *et al*
Ben-Neriah Z *see* Zlotogora J *et al*
Benzacken B *et al*. Different proximal and distal rearrangements of chromosome 7q associated with holoprosencephaly, **899**
Bereuther L *see* Duba H-C *et al*
Berg T *see* Gustavsson P *et al*
Berkani M *see* Brézin AP *et al*
Bernaschek G *see* Hengstschläger M and Bernaschek G
see Hengstschläger M *et al*
Bernath V *see* Iglesias DM *et al*
Bertuzzo CS *see* Parizotto EA *et al*
Besbas N *see* Akarsu AN *et al*
Beverstock GC *see* Kant SG *et al*
Bhattacharya SS *see* Votruba M *et al*
Bienvenu T *see* Portes VD *et al*
Biesecker LG *see* Kang S *et al*
Bijkerk C *see* Meulenbelt I *et al*
Bijlsma EK *et al*. Misleading linkage results in an NF2 presymptomatic test owing to mosaicism, **934**
Billuart P *see* Portes VD *et al*
Binkert F *see* Schinzel A *et al*
see Schinzel A *et al*
Birouk N *see* Hanash A *et al*
Bisceglia S *see* Stuppia L *et al*
Bittencourt MC *et al*. Fortuitous detection of uniparental isodisomy of chromosome 6, **77**
Blažková M *see* Kozák L *et al*
Blankenagel A *see* Sauer CG *et al*
Bobba A *et al*. Characterisation of CAH alleles with non-radioactive DNA single strand conformation polymorphism analysis of the CYP21 gene, **223**
Bobrow M *see* Barnicoat AJ *et al*
see Michie S *et al*
Bocian E *see* Stankiewicz P *et al*
Bodmer WF *see* Tomlinson IPM *et al*
Boespflüg-Tanguy O *see* Portes VD *et al*
Bolla M *see* Henry JA *et al*
Bomford A *see* Robson KJH *et al*
Bonizzato A *see* Castellani C *et al*
Bonnet D *see* de Lonlay-Debeney P *et al*
Bonnet V *see* Froissart R *et al*
Bonne-Tamir B *see* Iyengar S *et al*
Bonthron DT *see* Strain L *et al*
Book reviews Adolph KW, *editor*. Human Molecular Genetics, **176**
Bishop MJ, Rawlings CJ, *editors*. DNA and Protein Sequence Analysis, **959**
Cohen MM. The Child with Multiple Birth Defects, **703**

Comings DE. The Gene Bomb, **438**
Connor M, Ferguson-Smith. Essential Medical Genetics, **879**
Elles R, *editor*. Methods in Molecular Medicine: Molecular Diagnosis of Genetic Diseases, **527**
Emery AEH, Malcolm S. An Introduction to Recombinant DNA in Medicine, **176**
Epstein CJ *et al*, *editors*. Etiology and Pathogenesis of Down Syndrome, **351**
Fisher NL *editor*. Cultural and Ethnic Diversity. A Guide for Genetics Professionals, **703**
Gregoriadis G, McCormack B, *editors*. Targeting of Drugs 5. Strategies for Oligonucleotide and Gene Delivery in Therapy, **792**
Hagerman RJ, Cronister A, *editors*. Fragile X Syndrome: Diagnosis, Treatment and Research, **439**
Henriques-Gil N, Parker JS, Puertas MJ, *editors*. Chromosomes Today, **1038**
Korf BR. Human Genetics—A Problem Based Approach, **791**
Lewin B. Genes VI, **1039**
Lloyd JB, Mason RW, *editors*. Subcellular Biochemistry. Biology of the Lysosome, **703**
Lyon G, Adams RD, Kolodny EH. Neurology of Hereditary Metabolic Disorders of Children, **176**
Macdonald F, Ford CHJ. Molecular Biology of Cancer, **615**
Morstyn G, Sheridan W, *editors*. Cell Therapy, **959**
Ohlsson R, Hall K, Ritzen M. Genomic Imprinting: Causes and Consequences, **527**
Orel V. Gregor Mendel—The First Geneticist, **878**
Pfeifer GP. Technologies for Detetion of DNA Damage and Mutations, **438**
Rimoin DL, Conner JM, Pyeritz RE, Emery AEH, *editors*. Emery and Rimoin's Principles and Practice of Medical Genetics., **614**
Robbins PD. Gene Therapy Protocols. Methods In Molecular Medicine, **960**
Teebi AS, Farag TI, *editors*. Genetic Disorders among Arab Populations, **704**
Wasko W, Tanzi RE, *editors*. Molecular Mechanisms of Dementia, **791**
Webb S, Durston B, Moore D, *editors*. Genetic Selection through Reproduction Technology. State of the Art and Implications, **791**
Weber W, Mulvihill JJ, Narod SA, *editors*. Familial Cancer Management, **351**
Weinberg G. Genetics in Anesthesiology, **439**
Weiss JO, Mackta JS. Starting and Sustaining Genetic Support Groups, **351**
Winter RM, Baraitser M. London Dysmorphology Database and London Neurogenetics Database with Photo Library, **614**
Working Party of the Catholic Bishops' Joint Committee on Bioethical Issues. Genetic Intervention on Human Subjects, **527**
Borrego S *see* Antiñolo G *et al*
Bouche P *see* Hanash A *et al*
Bower C *see* Walpole IR *et al*
Boyd Y *see* Masson W *et al*
Bozon D *see* Froissart R *et al*
Braegger CP *see* Schinzel A *et al*
Brecevic L *see* Schinzel A *et al*
see Schinzel A *et al*
Breedveld FC *see* Meulenbelt I *et al*
Breuning MH *see* Taschner PEM *et al*
Brézin AP *et al*. Genetic heterogeneity of primary open angle glaucoma and ocular hypertension: linkage to GLC1A associated with an increased risk of severe glaucomatous optic neuropathy, **546**
Briard M-L *see* Souied E *et al*
Brice A *see* Hanash A *et al*
Brilliant MH *see* Lund PM *et al*
Brondum-Nielsen K *see* Ryan AK *et al*
Brooimans RA *et al*. Identification of novel Bruton's tyrosine kinase mutations in 10 unrelated subjects with X linked agammaglobulinaemia, **484**
Brown KA *see* Campbell DA *et al*
Brown KA *et al*. Genetic heterogeneity in Schwartz-Jampel syndrome: two families with neonatal Schwartz-Jampel syndrome do not map to human chromosome 1p34-p36.1, **685**
Brown TR *see* Davies HR *et al*
Brueton L *see* Ryan AK *et al*
Buckle V *see* Barnicoat AJ *et al*
Bucourt M *see* Benzacken B *et al*
Bullock S *see* Morton JE *et al*
Buncic JR *see* Costa T *et al*
Bundey S *see* Morton JE *et al*
Bundey SE *see* Barrett TG and Bundey SE
Burdon MA *see* Seller MJ *et al*
Burglen L *see* Raclin V *et al*
Burn J *see* Lindsay S *et al*
see Morrison K *et al*
Burrows NP *see* Pope FM and Burrows NP
Bushby K *see* Naom IS *et al*
Bushby KMD *see* Pogue R *et al*
Buxton JL *see* Gilbert HL *et al*
Buys CHCM *see* van Essen AJ *et al*
Cabalska B *see* Żekanowski C *et al*
Cai T *et al*. A novel case of unilateral blepharophimosis syndrome and mental retardation associated with de novo trisomy for chromosome 3q, **772**
Calabrese G *see* Stuppia L *et al*
Campbell DA *et al*. A new locus for non-syndromal, autosomal recessive, sensorineural hearing loss (DFNB16) maps to human chromosome 15q21-q22, **1015**
Campbell KP *see* Carrié A *et al*
Canal N *see* Sessa M *et al*
Cao A *see* Rosatelli MC *et al*
Caramia G *see* Castriota-Scanderbeg A *et al*
Carbillon L *see* Benzacken B *et al*
Carbonara C *see* Ruggieri M *et al*
Carchon H *see* Jaeken J *et al*
Carlton DR *see* Williams DK *et al*
Carrie A *see* Portes VD *et al*
Carrié A *et al*. Mutational diversity and hot spots in the α-sarcoglycan gene in autosomal recessive muscular dystrophy (LGMD2D), **470**
Carroll AJ *see* Maddox LO *et al*
Cassidy SB. Prader-Willi syndrome: *syndrome of the month*, **917**
Cassiman J-J *see* Devriendt K *et al*
see Devriendt K *et al*
Castellani C *et al*. CFTR mutations and IVS8-5T variant in newborns with hypertrypsinaemia and normal sweat test, **297**
Castriota-Scanderbeg A *et al*. Spondylo-mesomelic-acrodysplasia with joint dislocations and severe combined immunodeficiency: a newly recognised immuno-osseous dysplasia, **854**
Catchpoole D *et al*. Epigenetic modification and uniparental inheritance of H19 in Beckwith-Wiedemann syndrome, **353**
Cawdery JE *see* Crolla JA *et al*
Cerqueira A *see* Zatz M *et al*
Chabod J *see* Bittencourt MC *et al*
Chan CTJ *see* Gilbert HL *et al*
Chand PR *see* Scrimgeour EM *et al*
Chatelin S *see* Souied E *et al*
Chédid P *see* Mégarbané A *et al*
Chelly J *see* Portes VD *et al*
Chen B-F *see* Chen C-P *et al*
Chen C-P *et al*. Cebocephaly, alobar holoprosencephaly, spina bifida, and sirenomelia in a stillbirth, **252**
Prenatal diagnosis of de novo proximal interstitial deletion of 14q associated with cebocephaly, **777**
Chen L-F *see* Chen C-P *et al*
Chen Y-T *see* Shen J *et al*
Chessa L *see* Tupler R *et al*
Chopra R *see* Mortazavi Y *et al*
Chorney KA *see* Venditti CP *et al*
Chorney MJ *see* Venditti CP *et al*
Chow CW *see* Delatycki MB *et al*
Choy FYM *et al*. Gaucher disease: molecular screening of the glucocerebrosidase 1601G and 1601A alleles in Victoria, British Columbia, Canada, **83**
Christ-Adler M *see* Kohl S *et al*
Chuang C-Y *see* Chen C-P *et al*
Claes S *see* Devriendt K *et al*
Clarke A. Parents' responses to predictive genetic testing in their children: *letter*, **174**
Clayton PT *see* Morris AAM *et al*
Clayton RN *see* Williamson C *et al*
Clayton-Smith J *see* Lindsay S *et al*
see Ryan AK *et al*
Cleary MA *see* Delatycki MB *et al*
Clemente MG *see* Rosatelli MC *et al*
Clépet C *see* Dupont M *et al*
Clericuzio C *see* Kang S *et al*
Clermont O *see* Hanash A *et al*
Clough L *see* Preece MA *et al*
Cockwell AE *see* James RS *et al*
Coffey R *see* Gausden E *et al*
Cohen G *see* Dean J *et al*
Cohen T *see* Zlotogora J *et al*
Cole DEC *see* Coulter-Mackie MB *et al*
Cole T *see* Fryer A *et al*
see Lindsay S *et al*
see Mitchell SJ *et al*
see Smith M *et al*
Cole TRP *see* Williams DK *et al*
Coles R *et al*. Analysis of the 5' upstream sequence of the Huntington's disease (HD) gene shows six new rare alleles which are unrelated to the age at onset of HD, **371**
Collet J-F *see* Jaeken J *et al*
Colley A *see* Worthington S *et al*
Collignon P *see* Mignon C *et al*
Collins J *see* Maddox LO *et al*
Collmann H *see* Steinberger D *et al*
Colman SD *et al*. Four frameshift mutations in neurofibromatosis type 1 caused by small insertions, **579**
Comings DE. The Gene Bomb: *letter*, **876**
Connarty M *see* Leggo J *et al*

Conte RA *see* Verma RS *et al*
Cooke A *see* Whiteford ML *et al*
Cooke-Yarborough CM *see* Delatycki MB *et al*
Coombs R *see* Kumar D *et al*
Coppin B *see* James RS *et al*
Coppin BD, Temple IK. Multiple lentigines syndrome (LEOPARD syndrome or progressive cardiomyopathic lentiginosis): *syndrome of the month*, **582**
Cormier-Daire V *see* de Lonlay-Debeney P *et al*
see Roume J *et al*
Correa-Cerro LS *et al*. Functional Xp disomy and de novo t(X;13)(q10;q10) in a girl with hypomelanosis of Ito, **161**
Cortopassi G *see* Gardner JC *et al*
Costa T *et al*. Monozygotic twins discordant for Aicardi syndrome, **688**
Coto E *see* Ariza M *et al*
Cottrell S *see* Gilbert HL *et al*
Couderc S *see* de Lonlay-Debeney P *et al*
Coulter-Mackie MB *et al*. Metachromatic leucodystrophy in three families from Nova Scotia, Canada: a recurring mutation in the arylsulphatase A gene, **493**
Cowchock FS *see* Wallerstein R *et al*
Cowen RL *see* Hoban *et al*
Cox TM *see* Rhodes DA *et al*
Coyle B *see* Gausden E *et al*
Cragg H *et al*. Fucosidosis: genetic and biochemical analysis of eight cases, **105**
Craufurd D *see* Evans DGR *et al*
see Hartley *et al*
Crisponi G *see* Rosatelli MC *et al*
Crolla JA *see* Savage NM *et al*
Crolla JA *et al*. A FISH approach to defining the extent and possible clinical significance of deletions at the WAGR locus, **207**
Curtis A *see* Pogue R *et al*
Curtis G *see* Skirton H *et al*
Czeizel AE, Göblyös P. Complete situs inversus and broad thumbs and big toes with postaxial polydactyly, **1033**

Dagan J *see* Zlotogora J *et al*
Dahl N *see* Arnell H *et al*
see Gustavsson P *et al*
Dai K *see* Worthington S *et al*
Daiger SP *see* Rodriguez JA *et al*
D'Alessandro M *see* Naom IS *et al*
Dallapiccola B *see* Castriota-Scanderbeg A *et al*
see Digilio MC *et al*
see Digilio MC *et al*
see Digilio MC *et al*
see Ryan AK *et al*
Dalton A *see* Leggo J *et al*
Danes S *see* Axton R *et al*
Dangaansuren B *see* Pandya A *et al*
Dapena J *see* Antiñolo G *et al*
Davies DR *see* Evans DGR *et al*
Davies HR *et al*. Androgen insensitivity with mental retardation: a contiguous gene syndrome?, **158**
Davies K *see* Barnicoat AJ *et al*
Davies V *see* Preece MA *et al*
Day INM *et al*. Identification of a common low density lipoprotein receptor mutation (R329X) in the south of England: complete linkage disequilibrium with an allele of microsatellite D19S394, **111**
Day LB *see* Day INM *et al*
Day R *see* Tolmie JL *et al*
Dean JCS *see* Reardon W *et al*
Dean J *et al*. Karyotype 69,XXX/47,XX,+15 in a 2½ year old child, **246**
de Boo GM *et al*. Intelligence indices in people with a high/low risk for developing Huntington's disease, **564**
de Braekeleer M *et al*. Genotype-phenotype correlation in five cystic fibrosis patients homozygous for the 621+1G→T mutation: *letter*, **788**
de Die-Smulders CEM *et al*. Paternal transmission of congenital myotonic dystrophy, **930**
de Dinechin SD *see* Brézin AP *et al*
Deelen W *see* Willemsen R *et al*
de Gennes JL *see* Foubert L *et al*
de Jonghe P *see* Timmerman V *et al*
del Carro U *see* Sessa M *et al*
Delabar JM *see* Avramopoulos D *et al*
Delatycki MB *et al*. A maternally transmitted lethal neonatal progeroid syndrome with prominent genitourinary and gastrointestinal features, **520**
Delhanty J *see* Sherlock J *et al*
de Lonlay-Debeney P *et al*. Features of DiGeorge syndrome and CHARGE association in five patients, **986**
Delpech M *see* Dupont M *et al*
Demaille J *see* Dupont M *et al*
de Muelenaere A *see* Devriendt K *et al*
Deng Z-M *see* Trent RJ *et al*
de Paepe A, Hennekam RCM. Marfan syndrome: *letter*, **614**
de Pater J *see* Smeets D *et al*
der Vlis MV *see* de Boo GM *et al*
Descartes M *see* Maddox LO *et al*
Desguerre I *see* Portes VD *et al*
Detheux M *see* Jaeken J *et al*
de Toma C *see* Carrié A *et al*
de Vos N *see* Taschner PEM *et al*
Devriendt K *see* Swillen A *et al*
Devriendt K *et al*. Chromosome 22q11 deletion presenting as the Potter sequence, **423**
Prader-Willi syndrome in a child with mosaic trisomy 15 and mosaic triplo-X: a molecular analysis, **318**
Trisomy 15 rescue with jumping translocation of distal 15q in Prader-Willi syndrome, **395**
de Vries BBA *see* van Rijn MA *et al*
de Wert GMWR *see* Tibben A *et al*
Digilio MC *et al*. Conotruncal heart defect/microphthalmia syndrome: delineation of an autosomal recessive syndrome, **927**
Radial aplasia and chromosome 22q11 deletion, **942**
Recurrence risk figures for isolated tetralogy of Fallot after screening for 22q11 microdeletion, **188**
di Gregorio F *see* Romeo MA *et al*
Dijkstra PF *see* Zguricas J *et al*
Dimauro S *see* Vilarinho L *et al*
Dixon J *see* Smith A *et al*
Docherty Z *see* Mackie-Ogilvie C *et al*
Dodge A *see* Leggo J *et al*
Doheny KF *et al*. Cryptic terminal rearrangement of chromosome 22q13.32 detected by FISH in two unrelated patients, **640**
Donnai D *see* Fryssira H *et al*
see Kant SG *et al*
see Slavotinek A *et al*
Dooley JS *see* Robson KJH *et al*
Dörk T *see* El-Harith EA *et al*
Dow DJ *et al*. Instability of normal $(CTG)_n$ alleles in the DM kinase gene, **871**
Dowton SB *et al*. Chromosome 18q22.2→qter deletion and a congenital anomaly syndrome with multiple vertebral segmentation defects, **414**
Dross C *see* Dupont M *et al*
Duba H-C *et al*. Detection of a de novo duplication of 1q32-qter by fluorescence in situ hybridisation in a boy with multiple malformations: further delineation of the trisomy 1q syndrome, **309**
Dubowitz V *see* Naom IS *et al*
Dudokdewit AC *et al*. Psychological distress in applicants for predictive DNA testing for autosomal dominant, heritable, late onset disorders, **382**
Dufier J-L *see* Souied E *et al*
Duggan DJ *see* Fanin M *et al*
Duivenvoorden HJ *see* Dudokdewit AC *et al*
Dulac O *see* Portes VD *et al*
Dumoulin M *see* Swillen A *et al*
Dupont M *et al*. Genotypic diagnosis of familial Mediterranean fever (FMF) using new microsatellite markers: example of two extensive non-Ashkenazi Jewish pedigrees, **375**
Durham-Pierre D *see* Lund PM *et al*
Dutly F *see* Schinzel A *et al*
see Schinzel A *et al*

Eccles MR *see* Narahara K *et al*
Eckert D *see* Avramopoulos D *et al*
see Happle R *et al*
Eckstein A *see* Kohl S *et al*
Edwards CQ *see* Ajioka RS *et al*
Edwards YH *see* Morrison K *et al*
Egozcue J *see* Fuster C *et al*
Ehrenborg E *see* Foubert L *et al*
Ek J *see* Strømme P *et al*
El-Harith EA *et al*. Novel and characteristic CFTR mutations in Saudi Arab children with severe cystic fibrosis, **996**
El-Shanti HE *et al*. Progressive pseudorheumatoid dysplasia: report of a family and review, **559**
Elshof AET *see* Venditti CP *et al*
Emahazion T *see* Arnell H *et al*
Encha-Razavi F *see* Benzacken B *et al*
ENMC International Consortium on Nemaline Myopathy *see* North KN *et al*
Epplen JT *see* Holzmann C *et al*
Erdel M *see* Duba H-C *et al*
Estevez L *see* Robledo M *et al*
Estivill X *see* Nadal M *et al*
Eto Y *see* Uyama E *et al*
Evans DG *see* Hoban *et al*
Evans DGR *see* Bijlsma EK *et al*
Evans DGR *et al*. Uptake of genetic testing for cancer predisposition, **746**
Evans RD *see* Reardon W *et al*
Evans RL *see* Rodriguez JA *et al*
Evers-Kiebooms G *see* Barnes C *et al*
Eyskens B *see* Swillen A *et al*

Faà V *see* Rosatelli MC *et al*
Fagan K *see* Partington MW *et al*
see Worthington S *et al*
Fairley J *see* Golla A *et al*
Falconer AR *see* Woods CG *et al*
Fall C *see* Henry JA *et al*
Fang-Kircher S *see* Cragg H *et al*
Fanin M *et al.* Genetic epidemiology of muscular dystrophies resulting from sarcoglycan gene mutations, **973**
Fantes J *see* Crolla JA *et al*
Farah S *see* Sabry MA *et al*
Fardeau M *see* Carrié A *et al*
Fellmann F *see* Bittencourt MC *et al*
Ferguson-Smith MA *see* Dow DJ *et al*
Ferlini A *see* Naom IS *et al*
Fischel-Ghodsian N *see* Pandya A *et al*
Fischer H *see* Duba H-C *et al*
Fisher AM *see* Power MM *et al*
Fitchett M *see* Slavotinek AM *et al*
Fitzpatrick DR *et al.* Neurogenic chronic idiopathic intestinal pseudo-obstruction, patent ductus arteriosus, and thrombocytopenia segregating as an X linked recessive disorder, **666**
Flanagan DEH *see* Power MM *et al*
Flanagan N *et al.* Developmental enamel defects in tuberous sclerosis: a clinical genetic marker?, **637**
Flint J *see* Giraudeau F *et al*
Flinter F. Alport's syndrome: *syndrome of the month*, **326**
Flinter FA *see* Beales PL *et al*
Flomen RH *et al.* Rieger syndrome locus: a new reciprocal translocation t(4;12)(q25;q15) and a deletion del(4)(q25q27) both break between markers D4S2945 and D4S193, **191**
Flynn G *see* Barnicoat AJ *et al*
Foubert L *et al.* Assessment of French patients with LPL deficiency for French Canadian mutations, **672**
Fourneau C *see* Gillerot Y *et al*
Fraga A *see* Iglesias DM *et al*
Franchi PG *see* Stuppia L *et al*
Franck G *see* Verloes A *et al*
Fraser GR *see* Gausden E *et al*
Freda MP *see* Fanin M *et al*
Fredericks B *see* Tolmie JL *et al*
Frets PG *see* Dudokdewit AC *et al*
Frew CA *see* Scrimgeour EM *et al*
Friedman TB *see* Morell R *et al*
Froissart R *et al.* Germline and somatic mosaicism in a female carrier of Hunter disease, **137**
Fryer A *et al.* Autosomal dominant inheritance of Weaver syndrome, **418**
Fryns JP *see* Swillen A *et al*
Fryns J-P *see* Devriendt K *et al*
see Devriendt K *et al*
see Devriendt K *et al*
see Jaeken J *et al*
Fryssira H *et al.* Fluorescent in situ hybridisation (FISH) for hemizygous deletion at the elastin locus in patients with isolated supravalvular aortic stenosis, **306**
Fukushima Y *see* Masuno M *et al*
see Ogata T *et al*
Fullwood P *see* Smith M *et al*
Fuster C *et al.* Familial complex chromosome rearrangement ascertained by in situ hybridisation, **164**

Gabriel R *see* Jaber L *et al*
Gagnier L *see* Coulter-Mackie MB *et al*
Galea P *see* Tolmie JL *et al*
Galjaard H *see* Willemsen R *et al*
Ganen A *see* Zlotogora J *et al*
Garchon H-J *see* Brézin AP *et al*
Garcia-Heras J *et al.* De novo der(X)t(X;10)(q26;q21) with features of distal trisomy 10q: case report of paternal origin identified by late replication with BrdU and the human androgen receptor assay (HAR), **242**
Gardner JC *et al.* Familial streptomycin ototoxicity in a South African family: a mitochondrial disorder, **904**
Garvin AM *et al.* BRCA1 and BRCA2 mutation analysis in 86 early onset breast/ovarian cancer patients, **990**
Gatta V *see* Stuppia L *et al*
Gaunt L *see* Slavotinek A *et al*
Gausden E *et al.* Pendred syndrome: evidence for genetic homogeneity and further refinement of linkage, **126**
Gelsema ES *see* Zguricas J *et al*
Genin E *see* Roume J *et al*
Geraedts JPM *see* de Die-Smulders CEM *et al*
Geraghty M *see* Stallings R *et al*
Gerber S *see* Souied E *et al*
Gerhard GS *see* Venditti CP *et al*
Gerssen-Schoorl K *see* Smeets D *et al*
Gewillig M *see* Swillen A *et al*
Ghazi I *see* Souied E *et al*
Giannattasio S *see* Bobba A *et al*
Giannotti A *see* Digilio MC *et al*
see Digilio MC *et al*
see Digilio MC *et al*
Gibas L *see* Wallerstein R *et al*
Giblin L *see* Keating KE *et al*
Gilbert HL *et al.* Counselling dilemmas associated with the molecular characterisation of two Angelman syndrome families, **651**
Gili M *see* Antiñolo G *et al*
Gillerot Y *et al.* Lethal femoral-facial syndrome: a case with unusual manifestations, **518**
Ginjaar IB *see* van Essen AJ *et al*
Ginns EI *see* Sidransky E and Ginns EI
Girardet JP *see* Foubert L *et al*
Giraudeau F *et al.* Molecular-cytogenetic detection of a deletion of 1p36.3, **314**
Girlich D *see* Roume J *et al*
Göblyös P *see* Czeizel AE and Göblyös P
Gogineni SK *see* Verma RS *et al*
Goldblatt J *see* Slee J and Goldblatt J
see Walpole IR *et al*
Goliath R *see* Gardner JC *et al*
Golla A *et al.* Phenotypic expression of the fibroblast growth factor receptor 3 (FGFR3) mutation P250R in a large craniosynostosis family, **683**
Gomez MR *see* Ruggieri M *et al*
Gonzales M *see* Benzacken B *et al*
Goodburn S *see* Rubinsztein JS *et al*
Goodship JA *see* Ryan AK *et al*
Gordon K *see* Coulter-Mackie MB *et al*
Gordon L *see* Gustavsson P *et al*
Gordon-Smith EC *see* Mortazavi Y *et al*
Gorman PA *see* Flomen RH *et al*
Gos A *see* Bittencourt MC *et al*
Goto M *see* Okamoto N *et al*
Gough AC *see* Smith CAD *et al*
Gourdier I *see* Dupont M *et al*
Graf J *see* Spranger S *et al*
Graham Jr JM *see* Kang S *et al*
Grasso S *see* Ruggieri M *et al*
Grateau G *see* Dupont M *et al*
Gray J *see* Crolla JA *et al*
Grebe T *see* Kang S *et al*
Green A *see* Patel JS *et al*
Green AJ *see* Ryan AK *et al*
Green E *see* Barnicoat AJ *et al*
see Kang S *et al*
Green SH *see* Williams DK *et al*
Greenberg J *see* Gardner JC *et al*
Greer W *see* Costa T *et al*
Gregory P *see* Slavotinek A *et al*
Grehl H *see* Timmerman V *et al*
Griffen LM *see* Ajioka RS *et al*
Grimm T *see* Sauer CG *et al*
Groet J *see* Flomen RH *et al*
Grossman A *see* Gausden E *et al*
Grubben MJAL *see* Brooimans RA *et al*
Gruen JR *see* Ajioka RS *et al*
Guadagni AM *see* Digilio MC *et al*
Guicheney P *see* Naom IS *et al*
Gulati R *et al.* Associated malformations in the family of a patient with Meckel syndrome: heterozygous expression?, **937**
Gupta P *see* Wallerstein R *et al*
Gustavsson P *et al.* Diamond-Blackfan anaemia in a girl with a de novo balanced reciprocal X;19 translocation, **779**

Haan E *see* Smith A *et al*
Haddad L *see* Day INM *et al*
Halder A *see* Sherlock J *et al*
Hall CM *see* Reardon W *et al*
Hall K *see* Stallings R *et al*
Hallberg *see* Avramopoulos D *et al*
Halley DJJ *see* Losekoot M *et al*
see van Rijn MA *et al*
Hallidie-Smith KA *see* Fryssira H *et al*
Hamada H *see* Sohda S *et al*
Hamaguchi H *see* Sohda S *et al*
Hamann U *et al.* Low frequency of BRCA1 germline mutations in 45 German breast/ovarian cancer families, **884**
Hamard P *see* Brézin AP *et al*
Hamel BCJ *see* Rump P *et al*
Hammond LS *see* Pai GS *et al*
Hanash A *et al.* SMN gene analysis of the spinal form of Charcot-Marie-Tooth disease, **507**
Häne B *see* Stevenson RE *et al*
see Pai GS *et al*
Häner M *see* Hamann U *et al*
Hanson I *see* Axton R *et al*
Happle R *et al.* "Cutis tricolor": congenital hyper- and hypopigmented macules associated with a sporadic multisystem birth defect: an unusual example of twin spotting?, **676**
Harding BN *see* Martland T *et al*
Harocopos CJ *see* Tomlinson IPM *et al*

Harper PS *see* Upadhyaya M *et al*
Harper PS. What do we mean by genetic testing?, **749**
Harris H *see* Hartley *et al*
Harris R *see* Hartley *et al*
Harrison DJ *see* Smith CAD *et al*
Hartley *et al*. The uptake and acceptability to patients of cystic fibrosis carrier testing offered in pregnancy by the GP, **459**
Harum K *see* Doheny KF *et al*
Hasselaar J *see* Dean J *et al*
Hata J-I *see* Ogata T *et al*
Hatchwell E *see* Power MM *et al*
see Ryan AK *et al*
Hay B *see* Wallerstein R *et al*
Hayden MR *see* Foubert L *et al*
Hayward R *see* Reardon W *et al*
He XX *see* Cai T *et al*
Heffron JJA *see* Keating KE *et al*
Heighway J *see* Hoban *et al*
Hejtmancik JF *see* Shastry BS *et al*
Helbling-Leclerc A *see* Naom IS *et al*
Hengstschläger M, Bernaschek G. A new cytofluorometric approach to detect fetal cells in the maternal circulation: *letter*, **789**
Hengstschläger M *et al*. Raising the sensitivity of fetal RhD typing and sex determination from maternal blood: *letter*, **350**
Hennekam RCM *see* Allanson JE *et al*
see de Paepe A and Hennekam RCM
Henry JA *et al*. The effects of genotype and infant weight on adult plasma levels of fibrinogen, factor VII, and LDL cholesterol are additive, **553**
Hermans J *see* de Boo GM *et al*
Herrera M *see* Iglesias DM *et al*
Herve P *see* Bittencourt MC *et al*
Hewitt D *see* Narahara K *et al*
Higa S *see* Rittler M and Higa S
Hing AV *see* Dowton SB *et al*
Hirst M *see* Barnicoat AJ *et al*
Hitman GA *see* Beales PL *et al*
Hjälmås K *see* Arnell H *et al*
Ho VT *see* Colman SD *et al*
Hoban *et al*. Physical localisation of the breakpoints of a constitutional translocation t(5;6)(q21;q21) in a child with bilateral Wilms' tumour, **343**
Hoffman EP *see* Fanin M *et al*
Hol F *see* Morrison K *et al*
Holland AJ *see* Rubinsztein JS *et al*
Holvoet M *see* Devriendt K *et al*
Hölzl G *see* Hengstschläger M *et al*
Holzmann C *et al*. Avoiding errors in the diagnosis of $(CAG)_n$ expansion in the huntingtin gene: *letter*, **264**
Homfray T *see* Tomlinson IPM *et al*
Hoo JJ *see* Ortigas AP *et al*
Hoogendoorn E *see* Losekoot M *et al*
Horn N *see* Masson W *et al*
see Tümer Z and Horn N
Horsfield P *see* Ayyash H *et al*
Horsley S *see* Giraudeau F *et al*
Houlston RS *see* Tomlinson IPM and Houlston RS
Houseman M *see* Campbell DA *et al*
Hovius SER *see* Zguricas J *et al*
Howard PJ *see* Hoban *et al*
Höweler CJ *see* de Die-Smulders CEM *et al*
Hughes H *see* Masson W *et al*
Hughes IA *see* Davies HR *et al*
Humphries E *see* Henry JA *et al*
Humphries SE *see* Day INM *et al*
Hurst JA *see* Lindsay S *et al*
see Ryan AK *et al*
Huson SM *see* Slavotinek A *et al*
see Slavotinek AM *et al*
Hutchin T *see* Gardner JC *et al*

Iber JC *see* Kunst CB *et al*
Ida H *see* Uyama E *et al*
Iglesias DM *et al*. Genetic heterogeneity of autosomal dominant polycystic kidney disease in Argentina, **827**
Ignatius J *see* Ryan AK *et al*
Imaizumi K *see* Masuno M *et al*
Improta L *see* Stuppia L *et al*
Inglehearn CF *see* Keen TJ *et al*
Iolascon A *see* Bobba A *et al*
Ireland M *see* Allanson JE *et al*
see Lindsay S *et al*
Ishii T *see* Masuno M *et al*
Ismail EAR *see* Sabry MA *et al*
Ito S *see* Narahara K *et al*
Iyengar S *et al*. Homozygosity by descent for a rare mutation in the myophosphorylase gene is associated with variable phenotypes in a Druze family with McArdle disease, **391**

Jaber L *et al*. Effects of consanguineous marriage on reproductive outcome in an Arab community in Israel, **1000**
Jackson L *see* Wallerstein R *et al*
Jackson T *see* Pogue R *et al*
Jacobs PA *see* James RS *et al*
Jaeken J *et al*. Carbohydrate deficient glycoprotein (CDG) syndrome type I: *syndrome of the month*, **73**
Phosphoserine phosphatase deficiency in a patient with Williams syndrome, **594**
Jägervall M *see* Arnell H *et al*
James RS *see* Power MM *et al*
James RS *et al*. Evidence for a cryptic 46,XX cell line in a 45,X/46,X,psu idic(Xq) patient with normal reproduction, **1030**
Jan S-W *see* Chen C-P *et al*
see Chen C-P *et al*
Janjua AH *see* Campbell DA *et al*
Jansen CCAM *see* Losekoot M *et al*
Jansen O *see* Spranger S *et al*
Janssen G *see* Smeets D *et al*
Jardine P *see* Upadhyaya M *et al*
Jeanpierre M *see* Carrié A *et al*
Jennekens-Schinkel A *see* de Boo GM *et al*
Johansson B *see* Gustavsson P *et al*
Johnston RL *see* Seller MJ *et al*
Jones BM *see* Reardon W *et al*
Joseph M *see* Pai GS *et al*
Joyce C *see* Stallings R *et al*
Joyce CA *see* Savage NM *et al*
Joyce JA *see* Catchpoole D *et al*
Joyé N *see* Benzacken B *et al*

Kahn A *see* Portes VD *et al*
Kalinsky H *see* Iyengar S *et al*
Kang S *et al*. Linkage mapping and phenotypic analysis of autosomal dominant Pallister-Hall syndrome, **441**
Kant SG *et al*. Pitt-Rogers-Danks syndrome and Wolf-Hirschhorn syndrome are caused by a deletion in the same region on chromosome 4p16.3, **569**
Kaplan J *see* Souied E *et al*
Kaplan J-C *see* Carrié A *et al*
Karbani G *see* Campbell DA *et al*
Kate LPT *see* van Essen AJ *et al*
Kearney L *see* Giraudeau F *et al*
Keating J *see* Maddox LO *et al*
Keating KE *et al*. Detection of a novel mutation in the ryanodine receptor gene in an Irish malignant hyperthermia pedigree: correlation of the IVCT response with the affected and unaffected haplotypes, **291**
Keen TJ *et al*. Exclusion of CAG repeat expansion as the cause of disease in autosomal dominant retinitis pigmentosa families, **130**
Keller K-M *see* El-Harith EA *et al*
Kellner U *see* Kohl S *et al*
Kelly M *see* Hoban *et al*
Kemp J *see* Dean J *et al*
Kendall-Taylor P *see* Gausden E *et al*
Kennerknecht I *see* Avramopoulos D *et al*
see Happle R *et al*
Kidd KK *see* Iyengar S *et al*
Kim WS *see* Trent RJ *et al*
King RA *see* Lund PM *et al*
Kingston H *see* Slavotinek A and Kingston H
Kingston HM *see* Wilson LC *et al*
Kleyman SM *see* Verma RS *et al*
Kneppers ALJ *see* van Essen AJ *et al*
Knight S *see* Giraudeau F *et al*
Knoll JHM *see* Venditti CP *et al*
Koeuth T *see* Timmerman V *et al*
Kohl S *et al*. RDS/peripherin gene mutations are frequent causes of central retinal dystrophies, **620**
Koné-Paut I *see* Dupont M *et al*
Kornblihtt AR *see* Iglesias DM *et al*
Korostishevsky M *see* Iyengar S *et al*
Kostyk E *see* Stankiewicz P *et al*
Kotze MJ *see* Leggo J *et al*
Koul RL *see* Scrimgeour EM *et al*
Kozák L *et al*. Mutation and haplotype analysis of phenylalanine hydroxylase alleles in classical PKU patients from the Czech Republic: identification of four novel mutations, **893**
Krabchi K *see* Benzacken B *et al*
Krantz ID *et al*. Alagille syndrome: *syndrome of the month*, **152**
Kreuger A *see* Gustavsson P *et al*
Kubo T *see* Sohda S *et al*
Kuhrová V *see* Kozák L *et al*
Kumar D *et al*. Congenital renal tubular dysplasia and skull ossification defects similar to teratogenic effects of angiotensin converting enzyme (ACE) inhibitors, **541**
Kunst CB *et al*. The effect of FMR1 CGG repeat interruptions on mutation frequency as measured by sperm typing, **627**
Kuroki Y *see* Masuno M *et al*
Kushner JP *see* Ajioka RS *et al*
Kuzniecky R *see* Maddox LO *et al*
Kytölä S *see* Poyhonen M *et al*

Lacey PG *see* Venditti CP *et al*
Lachman RS *see* Castriota-Scanderbeg A *et al*
Läckgren G *see* Arnell H *et al*
Lagarde JP *see* Foubert L *et al*
Laing NG *see* North KN *et al*
Lam WWK *see* Catchpoole D *et al*
Lammi A *see* Dean J *et al*
Lamy B *see* Bittencourt MC *et al*
Langlois S *see* McFadden DE *et al*
Lanser JBK *see* de Boo GM *et al*
Largo RH *see* Schinzel A *et al*
Lawrence L *see* Stevenson RE *et al*
Leatherdale BA *see* Power MM *et al*
Leblanc J-P *see* de Braekeleer M *et al*
le Bourhis C *see* Benzacken B *et al*
Lee C-C *see* Chen C-P *et al*
Lee-Chen G-J, Wang T-R. Mucopolysaccharidosis type I: identification of novel mutations that cause Hurler/Scheie syndrome in Chinese families, **939**
Leeflang EP *see* Kunst CB *et al*
Leggo J *see* Coles R *et al*
see Rubinsztein DC and Leggo J
Leggo J *et al.* Analysis of spinocerebellar ataxia types 1, 2, 3, and 6, dentatorubral-pallidoluysian atrophy, and Friedreich's ataxia genes in spinocerebellar ataxia patients in the UK, **982**
Legius E *see* Devriendt K *et al*
see Swillen A *et al*
Leguern E *see* Hanash A *et al*
Lehane M *see* Keating KE *et al*
Leisti E-L *see* Poyhonen M *et al*
Leisti J *see* Poyhonen M *et al*
Le Merrer M *see* Roume J *et al*
Lench NJ *see* Brown KA *et al*
see Campbell DA *et al*
Lentze MJ *see* El-Harith EA *et al*
Leturcq F *see* Carrié A *et al*
Levade T *see* Froissart R *et al*
Levitas A *see* Wallerstein R *et al*
Levy A *see* Ryan AK *et al*
Lewis CM *see* Seller MJ *et al*
Li LY *see* Cai T *et al*
Lichtner P *see* Golla A *et al*
Liehr T *see* Timmerman V *et al*
Ligutić I *see* Flomen RH *et al*
Lindeman-Kusse MC *see* Kant SG *et al*
Lindhout D *see* Zguricas J *et al*
Lindsay S *et al.* Large scale deletions in the GPC3 gene may account for a minority of cases of Simpson-Golabi-Behmel syndrome, **480**
Linsey J *see* Choy FYM *et al*
Lipson AH *see* Worthington S *et al*
Liu F-F *see* Chen C-P *et al*
Liu H-M *see* Shen J *et al*
Loesch DZ, Taylor AK. FMR1 fully expanded mutation with minimal methylation in a high functioning fragile X male: *letter*, **350**
Löffler J *see* Duba H-C *et al*
Löfgren A *see* Timmerman V *et al*
Loots W *see* de Die-Smulders CEM *et al*
López-Larrea C *see* Ariza M *et al*
Los F *see* Willemsen R *et al*
Losekoot M *see* Dudokdewit AC *et al*
Losekoot M *et al.* Prenatal diagnosis of the fragile X syndrome: loss of mutation owing to a double recombinant or gene conversion event at the FMR1 locus, **924**
Lubs HA *see* Pai GS *et al*
see Stevenson RE *et al*
Ludman MD *see* Coulter-Mackie MB *et al*
Lund PM *et al.* Oculocutaneous albinism in an isolated Tonga community in Zimbabwe, **733**
Lunt PW *see* Upadhyaya M *et al*
Lupski JR *see* Timmerman V *et al*
Luttikhuis MEMO *see* Wilson LC *et al*
Luxon LM *see* Gausden E *et al*
Lynch PJ *see* Keating KE *et al*
Lynch SA *see* Morrison K *et al*
Lyonnet S *see* de Lonlay-Debeney P *et al*

Ma HW *see* Roume J *et al*
McCartan B *see* Flanagan N *et al*
McCarthy M *see* Williamson C *et al*
McCarthy TV *see* Keating KE *et al*
McDermid HE *see* Doheny KF *et al*
MacDonald F *see* Morton JE *et al*
McDougall PN *see* Delatycki MB *et al*
McFadden DE *et al.* Renal tubular dysgenesis with calvarial hypoplasia: report of two additional cases and review, **846**
McHale DP *see* Campbell DA *et al*
McKay T *see* Gilbert HL *et al*
McKenna PJ *see* Rubinsztein JS *et al*
McKeown C *see* Ryan AK *et al*
Mackie CM *see* Raymond FL *et al*
Mackie-Ogilvie C *et al.* Rapid identification of multiple supernumerary ring chromosomes with a new FISH technique, **912**
Maclachlan NA *see* Savage NM *et al*
MacLeod PD *see* Choy FYM *et al*
Macleod R *see* Evans DGR *et al*
McMenamin J *see* Flanagan N *et al*
Maddox LO *et al.* Identification of a recombination event narrowing the Lafora disease gene region, **590**
Magro G *see* Ruggieri M *et al*
Maher E *see* Slavotinek A *et al*
Maher ER *see* Catchpoole D *et al*
see Evans DGR *et al*
Maire I *see* Froissart R *et al*
Malcolm S *see* Gilbert HL *et al*
see Reardon W *et al*
Malone M *see* Morris AAM *et al*
Maltby E *see* Ayyash H *et al*
Mandeville J *see* Mackie-Ogilvie C *et al*
Mann J *see* Lindsay S *et al*
Maquet P *see* Verloes A *et al*
Maraschio P *see* Tupler R *et al*
Marchi A *see* Tupler R *et al*
Marín R *see* Ariza M *et al*
Mariman E *see* Morrison K *et al*
Marino B *see* Digilio MC *et al*
see Digilio MC *et al*
see Digilio MC *et al*
Markham AF *see* Brown KA *et al*
see Campbell DA *et al*
Marks R *see* Smith A *et al*
Marra E *see* Bobba A *et al*
Marseglia GL *see* Tupler R *et al*
Marteau T *see* Barnes C *et al*
Marteau TM *see* Michie S *et al*
Martín RS *see* Iglesias DM *et al*
Martin JA *see* Garcia-Heras J *et al*
Martin J-J *see* Timmerman V *et al*
Martinello F *see* Fanin M *et al*
Martland T *et al.* Dentato-olivary dysplasia in sibs: an autosomal recessive disorder?, **1021**
Marynen P *see* Devriendt K *et al*
Maschino F *see* Benzacken B *et al*
Masson W *et al.* Abnormalities of copper accumulation in cell lines established from nine different alleles of mottled are the same as those found in Menkes disease, **729**
Mastella G *see* Castellani C *et al*
Mastroprimiano G *see* Stuppia L *et al*
Masuno M *et al.* Median cleft of upper lip and pedunculated skin masses associated with de novo reciprocal translocation 46,X,t(X;16)(q28;q11.2), **952**
Mathew CG *see* Barnicoat AJ *et al*
Matsuo N *see* Ogata T and Matsuo N
see Ogata T *et al*
Mattei M-G *see* Mignon C *et al*
Matthijs G *see* Devriendt K *et al*
see Devriendt K *et al*
see Jaeken J *et al*
Mattina T *et al.* Double partial trisomy 9q34.1→qter and 21pter→q22.11: FISH and clinical findings, **945**
Maunoury C *see* Avramopoulos D *et al*
May M *see* Stevenson RE *et al*
Maynard J *see* Upadhyaya M *et al*
Mazurczak T *see* Stankiewicz P *et al*
Mazzone D *see* Mattina T *et al*
Mégarbané A *et al.* Interstitial duplication of the short arm of chromosome 2: report of a new case and review, **783**
Meinck H-M *see* Spranger S *et al*
Melki J *see* Hanash A *et al*
see Raclin V *et al*
Meloni A *see* Rosatelli MC *et al*
Meloni G *see* Rosatelli MC *et al*
Melo-Pires *see* Vilarinho L *et al*
Menéndez MJ *see* Ariza M *et al*
Merlini L *see* Carrié A *et al*
Merlob P *see* Jaber L *et al*
Merryweather-Clarke AT *see* Robson KJH *et al*
Merryweather-Clarke AT *et al.* Global prevalence of putative haemochromatosis mutations, **275**
Meulenbelt I *et al.* Genetic linkage analysis of 14 candidate gene loci in a family with autosomal dominant osteoarthritis without dysplasia, **1024**
Michaelis RC *see* Trent RJ *et al*
Michel-Awad A *see* Souied E *et al*
Michie S *et al.* Genetic counselling: the psychological impact of meeting patients' expectations, **237**
Migné G *see* Benzacken B *et al*
Mignon C *et al.* Inherited DNA amplification of the proximal 15q region: cytogenetic and molecular studies, **217**
Migone N *see* Ruggieri M *et al*
Miguez L *see* Fuster C *et al*

Miller S *see* Flanagan N *et al*
Millán JLS *see* Iglesias DM *et al*
Mingarelli R *see* Castriota-Scanderbeg A *et al*
see Stuppia L *et al*
Mirandolle JF *see* de Die-Smulders CEM *et al*
Miró R *see* Fuster C *et al*
Mitchell ELD *see* Hoban *et al*
Mitchell SJ *et al.* Congenital diaphragmatic hernia with probable autosomal recessive inheritance in an extended consanguineous Pakistani pedigree, **601**
Moerman P *see* Devriendt K *et al*
Moffett AWG *see* Tolmie JL *et al*
Mohkamsing S *see* Willemsen R *et al*
Mollevanger *see* Kant SG *et al*
Mollica F *see* Mattina T *et al*
Moncla A *see* Mignon C *et al*
Monson J *see* Williamson C *et al*
Moore AT *see* Votruba M *et al*
Moore D *see* Walpole IR *et al*
Moore GE *see* Preece MA *et al*
Moore IE *see* Savage NM *et al*
Morell R *et al.* The incidence of deafness is non-randomly distributed among families segregating for Waardenburg syndrome type 1 (WS1), **447**
Moreno S *see* Nadal M *et al*
Morizio E *see* Stuppia L *et al*
Morris AAM *et al.* Parent-child transmission of infantile cholestasis with lymphoedema (Aagenaes syndrome), **852**
Morris AG *see* Keen TJ *et al*
Morris MA *see* Bittencourt MC *et al*
Morrison K *et al.* Methionine synthase and neural tube defects: *letter*, **958**
Morrison PJ *see* Leggo J *et al*
Mortazavi Y *et al.* Frequency of the G6PD nt 1311 C/T polymorphism in English and Iranian populations: relevance to studies of X chromosome inactivation, **1028**
Morton JE *et al.* Fragile X syndrome is less common than previously estimated, **1**
Morton RE *see* Martland T *et al*
Moss G *see* Kumar D *et al*
Mostacciuolo ML *see* Fanin M *et al*
Motte J *see* Portes VD *et al*
Moutard ML *see* Portes VD *et al*
Mowrey PN *see* Venditti CP *et al*
Moynihan LM *see* Brown KA *et al*
see Campbell DA *et al*
Mueller R *see* Ayyash H *et al*
Mueller RF *see* Brown KA *et al*
see Campbell DA *et al*
Muller U *see* Steinberger D *et al*
Munnich A *see* de Lonlay-Debeney P *et al*
see Hanash A *et al*
see Raclin V *et al*
see Roume J *et al*
see Souied E *et al*
Muntoni F *see* Naom IS *et al*
Murken J *see* Golla A *et al*
Muroya K *see* Ogata T *et al*

Nadal M *et al.* Down syndrome: characterisation of a case with partial trisomy of chromosome 21 owing to a paternal balanced translocation (15;21)(q26;q22.1) by FISH, **50**
Nakamura M *see* Masuno M *et al*
Nance WE *see* Pandya A *et al*
Naom IS *et al.* Refinement of the laminin α2 chain locus to human chromosome 6q2 in severe and mild merosin deficient congenital muscular dystrophy, **99**
Narahara K *et al.* Localisation of a 10q breakpoint within the PAX2 gene in a patient with a de novo t(10;13) translocation and optic nerve coloboma-renal disease, **213**
Nardo T *see* Tupler R *et al*
Narendra A *see* Whiteford ML *et al*
Nassif NT *see* Trent RJ *et al*
Nedelec B *see* Dupont M *et al*
Nelis E *see* Timmerman V *et al*
Nelson R *see* Pai GS *et al*
Nemni R *see* Sessa M *et al*
Nevin NC *see* Reardon W *et al*
Newton V *see* Campbell DA *et al*
Newton VE *see* Read AP and Newton VE
Nicolai M *see* Stuppia L *et al*
Niermeijer MF *see* Dudokdewit AC *et al*
see Tibben A *et al*
see van Rijn MA *et al*
Niikawa N *see* Sasaki T *et al*
Nižetić D *see* Flomen RH *et al*
Noble J *see* Woods CG *et al*
Nork M *see* Al-Gazali LI *et al*
North KN *et al.* Nemaline myopathy: current concepts: *review*, **705**
Northrup H *see* Rodriguez JA *et al*
Novelli G *see* Ryan AK *et al*
Nowacka M *see* Żekanowski C *et al*

Obenbergerova D *see* Sabry MA *et al*
O'Brien J *see* Cragg H *et al*
O'Brien O *see* Lindsay S *et al*
O'Connor WJ *see* Flanagan N *et al*
O'Dell SD *see* Day INM *et al*
Odent S *see* de Lonlay-Debeney P *et al*
Oechsler H *see* Ryan AK *et al*
Ogata T, Matsuo N. The Y specific growth gene(s): how does it promote stature?: *hypothesis*, **323**
Ogata T *et al.* Impaired male sex development in an infant with molecularly defined partial 9p monosomy: implication for a testis forming gene(s) on 9p, **331**
Okamoto N *et al.* Hydrocephalus and Hirschsprung's disease in a patient with a mutation of L1CAM, **670**
Oley CA *see* Crolla JA *et al*
Olmer R *see* Losekoot M *et al*
Omari HZ *see* El-Shanti HE *et al*
Ondrey F *see* Kang S *et al*
Oosterwijk JC *see* Losekoot M *et al*
Oostra B *see* Willemsen R *et al*
Oostra BA *see* Losekoot M *et al*
Ortigas AP *et al.* Delineation of 14q32.3 deletion syndrome, **515**
Orzalesi M *see* Digilio MC *et al*
Osimani P *see* Castriota-Scanderbeg A *et al*
Osmond C *see* Henry JA *et al*
Osorio A *see* Robledo M *et al*
Owada M *see* Uyama E *et al*
Ozen S *see* Akarsu AN *et al*
Özkinay C *see* Özkinay FF *et al*
Özkinay FF *et al.* A case of Lenz microphthalmia syndrome, **604**

Pai GS *et al.* A new X linked recessive syndrome of mental retardation and mild dysmorphism maps to Xq28, **529**
Palka G *see* Stuppia L *et al*
Palmer C *see* Maddox LO *et al*
Palmer R *see* Fryssira H *et al*
Palmer S *see* Smith M *et al*
Pandya A *et al.* Mutation in the mitochondrial 12S rRNA gene in two families from Mongolia with matrilineal aminoglycoside ototoxicity, **169**
Pang JT *see* Williamson C *et al*
Pannett AAJ *see* Williamson C *et al*
Pantzar JT *see* McFadden DE *et al*
Papworth D *see* Masson W *et al*
Parczewska J *see* Stankiewicz P *et al*
Parente F *see* Mignon C *et al*
Paré PD *see* Sandford AJ *et al*
Parizotto EA *et al.* Molecular characterisation of cystic fibrosis patients in the state of São Paulo (Brazil): *letter*, **877**
Parry G *see* Campbell DA *et al*
Partington MW *et al.* Translocations involving 4p16.3 in three families: deletion causing the Pitt-Rogers-Danks syndrome and duplication resulting in a new overgrowth syndrome, **719**
Paschke E *see* Cragg H *et al*
Passchier J *see* Dudokdewit AC *et al*
Passos-Bueno MR *see* Zatz M *et al*
Patel JS *et al.* Germline duplication of chromosome 2p and neuroblastoma, **949**
Paterson J *see* Ryan AK *et al*
Patronas N *see* Kang S *et al*
Patterson MN *see* Davies HR *et al*
Patton M *see* Ryan AK *et al*
Pauleikhoff D *see* Sauer CG *et al*
Paupe A *see* de Lonlay-Debeney P *et al*
Pavone L *see* Ruggieri M *et al*
Pearman K *see* Williams DK *et al*
Pearson J *see* Patel JS *et al*
Pembrey ME *see* Gausden E *et al*
see Gilbert HL *et al*
Perez A *see* Fuster C *et al*
Perfumo C *see* Mattina T *et al*
Perrault I *see* Souied E *et al*
Petersen MB *see* Avramopoulos D *et al*
Petit P *see* Devriendt K *et al*
Pettersson U *see* Arnell H *et al*
Phadke SR *see* Gulati R *et al*
Phelps PD *see* Gausden E *et al*
Philip N *see* Ryan AK *et al*
Philpot J *see* Naom IS *et al*
Piccoli DA *see* Krantz ID *et al*
Piccolo F *see* Carrié A *et al*
Pierluigi M *see* Mattina T *et al*
Pietrzyk JJ *see* Stankiewicz P *et al*
Piątkowska E *see* Stankiewicz P *et al*
Piga MT *see* Rosatelli MC *et al*
Pijáčková A *see* Kozák L *et al*
Pilia G *see* Lindsay S *et al*
Pinard JM *see* Portes VD *et al*
Pinckers AJLG *see* Rump P *et al*
Pinsky L *see* Davies HR *et al*
Plessis G *see* Souied E *et al*
Plouvier E *see* Bittencourt MC *et al*

Pogue R *et al.* Limb-girdle muscular dystrophy or spinal muscular atrophy: a source of diagnostic confusion?: *letter*, **958**
Pointon JJ *see* Merryweather-Clarke AT *et al*
see Robson KJH *et al*
Pompetti F *see* Stuppia L *et al*
Ponsot G *see* Portes VD *et al*
Pope FM, Burrows NP. Ehlers-Danlos syndrome has varied molecular mechanisms: *syndrome of the month*, **400**
Portes VD *et al.* Dominant X linked subcortical laminar heterotopia and lissencephaly syndrome (XSCLH/LIS): evidence for the occurrence of mutation in males and mapping of a potential locus in Xq22, **177**
Potter NT. Meiotic instability associated with the CAGR1 trinucleotide repeat at 13q13, **411**
Pouget J *see* Hanash A *et al*
Power MM *et al.* RDCI, the vasoactive intestinal peptide receptor: a candidate gene for the features of Albright hereditary osteodystrophy associated with deletion of 2q37, **287**
Poyhonen M *et al.* Hereditary spinal neurofibromatosis: a rare form of NF1?, **184**
Preciado MA *see* Nadal M *et al*
Preece MA *et al.* Maternal uniparental disomy 7 in Silver-Russell syndrome, **6**
Price SM *see* Preece MA *et al*
Prieur M *see* de Lonlay-Debeney P *et al*
see Mégarbané A *et al*
see Ryan AK *et al*
Primhak R *see* Kumar D *et al*
Prisco F *see* Bobba A *et al*
Pritchard M *see* Nadal M *et al*
Proesmans W *see* Devriendt K *et al*
Prosperi E *see* Tupler R *et al*
Prosser J *see* Axton R *et al*
Pulleyn LJ *see* Reardon W *et al*
Puri N *see* Lund PM *et al*

Qi Y *see* Smith M *et al*
Quane KA *see* Keating KE *et al*
Quattrini A *see* Sessa M *et al*
Qubain HI *see* El-Shanti HE *et al*
Quigley CA *see* Davies HR *et al*
Quintero L *see* Arboleda H *et al*

Raclin V *et al.* De novo deletions in spinal muscular atrophy: implications for genetic counselling: *letter*, **86**
Radnaabazar J *see* Pandya A *et al*
Raha-Chowdhury R *see* Rhodes DA *et al*
see Robson KJH *et al*
Raisonnier A *see* Foubert L *et al*
Ramos-Arroyo MA *see* Nadal M *et al*
Ramsden S *see* Gilbert HL *et al*
Rane A *see* Smith CAD *et al*
Rautenstrauss B *see* Timmerman V *et al*
Ravine D *see* Upadhyaya M *et al*
Ray PN *see* Costa T *et al*
Raymond FL *see* Ryan AK *et al*
Raymond FL *et al.* Prenatal diagnosis of 22q11 deletions: a series of five cases with congenital heart defects, **679**
Raymond GV *see* Doheny KF *et al*
Read AP, Newton VE. Waardenburg syndrome: *syndrome of the month*, **656**
Reardon W *see* Fryssira H *et al*
see Gausden E *et al*
Reardon W *et al.* Craniosynostosis associated with FGFR3 pro250arg mutation results in a range of clinical presentations including unisutural sporadic craniosynostosis, **632**
Redford DHA *see* Mitchell SJ *et al*
Reid C *see* Wallerstein R *et al*
Reid E. Pure hereditary spastic paraplegia: *syndrome of the month*, **499**
Reik W *see* Catchpoole D *et al*
Reina F *see* Antiñolo G *et al*
Reiter LT *see* Timmerman V *et al*
Rhodes DA *et al.* Homozygosity for the predominant Cys282Tyr mutation and absence of disease expression in hereditary haemochromatosis, **761**
Ribeiro AF *see* Parizotto EA *et al*
Richards RI *see* Narahara K *et al*
Riess O *see* Holzmann C *et al*
Rigola MA *see* Fuster C *et al*
Rijkers GT *see* Brooimans RA *et al*
Rimoin DL *see* Castriota-Scanderbeg A *et al*
Rindl PM *see* Morton JE *et al*
Rittler M, Higa S. Grebe syndrome: a second case with extremely severe manifestations: *letter*, **1038**
Rivera H *see* Correa-Cerro LS *et al*
Robbins LG *see* Morell R *et al*
Robertson KJ *see* Whiteford ML *et al*
Robledo M *et al.* The 12 base pair duplication/insertion alteration could be a regulatory mutation, **592**
Robson KJH *see* Merryweather-Clarke AT *et al*
Robson KJH *et al.* Haemochromatosis: a gene at last?: *commentary*, **148**
Robson L *see* Dean J *et al*
Rodeck C *see* Sherlock J *et al*
Rodriguez A *see* Shastry BS *et al*
Rodriguez F *see* Shastry BS *et al*
Rodriguez JA *et al.* Molecular analysis of the human vitamin D binding protein (group specific component, Gc) in tuberous sclerosis complex (TSC), **509**
Rogers MT *see* Upadhyaya M *et al*
Rohrschneider K *see* Sauer CG *et al*
Romeo MA *et al.* Persistence of Mediterranean anaemia in Sicily, **869**
Romero N *see* Carrié A *et al*
Roos RAC *see* de Boo GM *et al*
Rosas MJ *see* Vilarinho L *et al*
Rosatelli MC *et al.* Molecular analysis of patients of Sardinian descent with Crigler-Najjar syndrome type I, **122**
Rosenberg WM *see* Robson KJH *et al*
Rosenbloom L *see* Fryer A *et al*
Rosenfeld S *see* Maddox LO *et al*
Rotterdam/Leiden Genetics Workgroup *see* Dudokdewit AC *et al*
Roume J *et al.* Genetic heterogeneity of Meckel syndrome, **1003**
Rowlandson P *see* Slavotinek A *et al*
Rozet J-M *see* Souied E *et al*
Růžičková S *see* Kozák L *et al*
Rubinsztein DC *see* Coles R *et al*
see Dow DJ *et al*
see Leggo J *et al*
see Rubinsztein JS *et al*
Rubinsztein DC, Leggo J. Non-Mendelian transmission at the Machado-Joseph disease locus in normal females: preferential transmission of alleles with smaller CAG repeats, **234**
Rubinsztein JS *et al.* Mild myotonic dystrophy is associated with memory impairment in the context of normal general intelligence, **229**
Rudnik-Schöneborn S *see* Spranger S *et al*
Ruggieri M *et al.* Tuberous sclerosis complex: neonatal deaths in three of four children of consanguineous, non-expressing parents, **256**
Rump P *et al.* Two sibs with chorioretinal dystrophy, hypogonadotrophic hypogonadism, and cerebellar ataxia: Boucher-Neuhäuser syndrome, **767**
Rumsby G *see* von Schnakenburg C and Rumsby G
Russo G *see* Romeo MA *et al*
Rutherford TR *see* Mortazavi Y *et al*
Rutland P *see* Reardon W *et al*
Rutten FFH *see* van der Riet AAPM *et al*
Ryan AK *et al.* Spectrum of clinical features associated with interstitial chromosome 22q11 deletions: a European collaborative study, **798**
Ryan F *see* Stallings R *et al*
Ryce C *see* Trent RJ *et al*
Rysiecki G *see* Costa T *et al*

Saatci U *see* Akarsu AN *et al*
Saba L *see* Rosatelli MC *et al*
Sabry MA *et al.* Unusual traits associated with Robinow syndrome, **736**
Sadeh M *see* Iyengar S *et al*
Sadzot B *see* Verloes A *et al*
Saecker AMMV *see* Holzmann C *et al*
Sampson J *see* Lindsay S *et al*
Sanders LAM *see* Brooimans RA *et al*
Sandford AJ *et al.* Mutation in the 3' region of the α-1-antitrypsin gene and chronic obstructive pulmonary disease, **874**
Santorelli FM *see* Vilarinho L *et al*
Sapmaz G *see* Özkinay FF *et al*
Sarfarazi M *see* Akarsu AN *et al*
Sasaki T *et al.* A 4 Mb cryptic deletion associated with inv(8)(q13.1q24.11) in a patient with trichorhinophalangeal syndrome type I, **335**
Sauer CG *et al.* An ancestral core haplotype defines the critical region harbouring the North Carolina macular dystrophy gene (MCDR1), **961**
Savage MO *see* Davies HR *et al*
Savage NM *et al.* Isolated sacral agenesis in a fetus monosomic for 7q36.1→qter, **866**
Sayli B *see* Pogue R *et al*
Scacheri P *see* Garcia-Heras J *et al*
Scambler PJ *see* Ryan AK *et al*
Scardilli S *see* Mattina T *et al*
Scheffer H *see* van Essen AJ *et al*
Schettini F *see* Bobba A *et al*
Schächtele M *see* Spranger S *et al*
Schäffer A *see* Kang S *et al*
Schinzel A *et al.* Interstitial deletion, del(4)(q12q21.1), owing to de novo unbalanced translocation in a 2 year old girl: further evidence that the piebald trait maps to proximal 4q12, **692**
Multiple congenital anomalies including the Rieger eye malformation in a boy with interstitial deletion of (4)(q25→q27) secondary to a balanced insertion in his normal father: evidence for haplotype insufficiency causing the Rieger malformation, **1012**
Schlessinger D *see* Lindsay S *et al*

Schmalenberger B *see* Steinberger D *et al*
Schmidtke J *see* El-Harith EA *et al*
Schofield PN *see* Catchpoole D *et al*
Schuffenhauer S *see* Golla A *et al*
see Ryan AK *et al*
Schwartz CE *see* Pai GS *et al*
see Stevenson RE *et al*
Schwartz K *see* Naom IS *et al*
Schworm HD *see* Sauer CG *et al*
Scobie WG *see* Fitzpatrick DR *et al*
Scorer J *see* Al-Gazali LI *et al*
Scotcher D *see* Hartley *et al*
Scott RJ *see* Garvin AM *et al*
see Hamann U *et al*
Scrimgeour EM *et al*. Juvenile onset Huntington's disease in an Omani child with asymptomatic, at risk parents: *letter*, **701**
Seese NK *see* Venditti CP *et al*
Segues B *see* Souied E *et al*
Seidel H *see* Ryan AK *et al*
Sellar G *see* Axton R *et al*
Sellars S *see* Gardner JC *et al*
Seller MJ *see* Mackie-Ogilvie C *et al*
Seller MJ *et al*. Linkage studies in dominant optic atrophy, Kjer type: possible evidence for heterogeneity, **967**
Sentís C *see* Robledo M *et al*
Sequeira JSS *see* Morris AAM *et al*
Sessa M *et al*. Atypical hereditary neuropathy with liability to pressure palsies (HNPP): the value of direct DNA diagnosis, **889**
Sewry C *see* Carrié A *et al*
see Naom IS *et al*
Sforza V *see* Stuppia L *et al*
Sharland GK *see* Raymond FL *et al*
Sharp AJ *see* James RS *et al*
Shastry BS *et al*. Linkage mapping of a large Colombian family segregating for X linked retinoschisis: refinement of the chromosomal location, **504**
Shearman JD *see* Merryweather-Clarke AT *et al*
see Robson KJH *et al*
Sheen-Kaniecki V *see* Dowton SB *et al*
Sheer D *see* Flomen RH *et al*
Sheffield LJ *see* Trent RJ *et al*
Shen J *et al*. Polymorphic markers of the glycogen debranching enzyme gene allowing linkage analysis in families with glycogen storage disease type III, **34**
Sheppard MN *see* Williamson C *et al*
Sherlock J *et al*. Prenatal detection of fetal aneuploidies using transcervical cell samples, **302**
Shih S-L *see* Chen C-P *et al*
Shohat M *see* Jaber L *et al*
Sidransky E, Ginns EI. Gaucher disease plus: *letter*, **876**
Siffroi JP *see* Benzacken B *et al*
Simard F *see* de Braekeleer M *et al*
Simpson JM *see* Raymond FL *et al*
Sinisi A *see* Bobba A *et al*
Skeppner G *see* Gustavsson P *et al*
Skirton H *et al*. The role and practice of the genetic nurse: report of the AGNC Working Party, **141**
Skjeldal OH *see* Strømme P *et al*
Slagboom PE *see* Meulenbelt I *et al*
Slaney S *see* Lindsay S *et al*
Slaney SF *see* Morris AAM *et al*
Slavotinek A, Kingston H. Interstitial deletion of bands 4q12→q13.1: case report and review of proximal 4q deletions, **862**
Slavotinek A *et al*. Paternally inherited duplications of 11p15.5 and Beckwith-Wiedemann syndrome, **819**
The phenotypic effects of chromosome rearrangement involving bands 7q21.3 and 22q13.3, **857**
Slavotinek AM *et al*. Interstitial deletion of band 3q25, **430**
Slee J, Goldblatt J. Further evidence for preaxial hallucal polydactyly as a marker of diabetic embryopathy, **261**
Smadja D *see* Portes VD *et al*
Smaoui N *see* Dupont M *et al*
Smeets D *et al*. At least nine cases of trisomy 11q23→qter in one generation as a result of familial t(11;13) translocation, **18**
Smeets HJM *see* de Die-Smulders CEM *et al*
Smith A *see* Dean J *et al*
see Trent RJ *et al*
Smith A *et al*. Clinical features in four patients with Angelman syndrome resulting from paternal uniparental disomy, **426**
Smith C *see* Fryer A *et al*
Smith CAD *et al*. A simplified assay for the arylamine N-acetyltransferase 2 polymorphism validated by phenotyping with isoniazid, **758**
Smith M *et al*. No evidence for uniparental disomy as a common cause of Sotos syndrome, **10**
Smith NM *see* Fitzpatrick DR *et al*
Smits A *see* Smeets D *et al*
Snijders PJLM *see* Zguricas J *et al*
Soejima H *see* Sasaki T *et al*
Sohda S *et al*. Methylenetetrahydrofolate reductase polymorphism and pre-eclampsia, **525**
Sorarù G *see* Fanin M *et al*
Soubjaki V *see* Partington MW *et al*
Souied E *et al*. Severe manifestions in carrier females in X linked retinitis pigmentosa, **793**
Soulié J *see* Benzacken B *et al*
Souraty N *see* Mégarbané A *et al*
Spalton DJ *see* Seller MJ *et al*
Spinelli JJ *see* Sandford AJ *et al*
Spinner NB *see* Krantz ID *et al*
Spranger M *see* Spranger S *et al*
see Spranger S *et al*
Spranger S *et al*. Muscular involvement in the Holt-Oram syndrome, **978**
Proximal and distal spinal muscular atrophy in one family: molecular genetic studies provide further evidence for the non-allelic origin of both diseases, **340**
Stańczak H *see* Stankiewicz P *et al*
Stallings R *et al*. Mosaicism for trisomy 3q arising from an unbalanced, de novo t(3;15), **512**
Stanier P *see* Preece MA *et al*
Stankiewicz P *et al*. Familial four breakpoint complex chromosomal rearrangement as a cause of monosomy 9p22→pter and trisomy 10p11.2→pter and 11q21 analysed by dual and triple colour FISH, **696**
Št'astná S *see* Kozák L *et al*
Stavropoulou C *see* Mignon C *et al*
Stec I *see* Kant SG *et al*
Stefanini M *see* Tupler R *et al*
Stein CK *see* Ortigas AP *et al*
Steinberger D *et al*. A novel mutation (a886g) in exon 5 of FGFR2 in members of a family with Crouzon phenotype and plagiocephaly, **420**
Stenberg A *see* Arnell H *et al*
Stephens D *see* Gausden E *et al*
Stevens M *see* Tibben A *et al*
Stevenson RE *see* Pai GS *et al*
Stevenson RE *et al*. Arch fingerprints, hypotonia, and areflexia associated with X linked mental retardation, **465**
Stewart F *see* Ryan AK *et al*
Stosiek U *see* Hamann U *et al*
Strain L *see* Fitzpatrick DR *et al*
Strain L *et al*. Fried syndrome is a distinct X linked mental retardation syndrome mapping to Xp22, **535**
Strømme P *et al*. Macrocephaly, epilepsy, autism, dysmorphic features, and mental retardation in two sisters: a new autosomal recessive syndrome?, **849**
Stuhrmann M *see* El-Harith EA *et al*
Stuppia L *et al*. Clustering of Y chromosome deletions in subinterval E of interval 6 supports the existence of an oligozoospermia critical region outside the DAZ gene, **881**
Sunada Y *see* Carrié A *et al*
Sundvall M *see* Arnell H *et al*
Sutherland GR *see* Narahara K *et al*
Suzuki Y *see* Ogata T *et al*
Swillen A *et al*. Intelligence and psychosocial adjustment in velocardiofacial syndrome: a study of 37 children and adolescents with VCFS, **453**

Tagle DA *see* Cai T *et al*
Taillemite JL *see* Benzacken B *et al*
Tamayo ML *see* Shastry BS *et al*
Tanaka Y *see* Masuno M *et al*
Tarleton J *see* Trent RJ *et al*
Taschner PEM *et al*. Rapid detection of the major deletion in the Batten disease gene CLN3 by allele specific PCR, **955**
Tavares C *see* Vilarinho L *et al*
Taylor AK *see* Loesch DZ and Taylor AK
Taylor J *see* Fryssira H *et al*
Telford N *see* Ayyash H *et al*
Tellier A-L *see* de Lonlay-Debeney P *et al*
Tembe V *see* Dean J *et al*
Temple IK *see* Catchpoole D *et al*
see Coppin BD and Temple IK
Tenaglia R *see* Stuppia L *et al*
Thakker R *see* Beales PL *et al*
Thakker RV *see* Williamson C *et al*
Tharakan JKJ *see* Scrimgeour EM *et al*
Theophile D *see* Mégarbané A *et al*
Thiry A *see* Verloes A *et al*
Thomas AE *see* Fitzpatrick DR *et al*
Thomas GH *see* Doheny KF *et al*
Thomson LL *see* Ortigas AP *et al*
Tibben A *see* de Boo GM *et al*
see Dudokdewit AC *et al*
see van Rijn MA *et al*
Tibben A *et al*. Preparing for presymptomatic DNA testing for early onset Alzheimer's disease/cerebral haemorrhage and hereditary Pick disease, **63**
Tiberghien P *see* Bittencourt MC *et al*
Tilanus MGJ *see* Brooimans RA *et al*

Timmerman V *et al.* Detection of the CMT1A/HNPP recombination hotspot in unrelated patients of European descent, **43**
Tinè A *see* Ruggieri M *et al*
Todd A *see* Fitzpatrick DR *et al*
Tolmie JL *see* Whiteford ML *et al*
Tolmie JL *et al.* Dominantly inherited cerebral dysplasia: arachnoid cyst associated with mild mental handicap in a mother and her son, **1018**
Tomé FMS *see* Carrié A *et al*
Tomlinson IPM, Houlston RS. Peutz-Jeghers syndrome: *syndrome of the month*, **1007**
Tomlinson IPM *et al.* Germline HNPCC gene variants have little influence on the risk for sporadic colorectal cancer, **39**
Tonoki H *see* Sasaki T *et al*
Topaloglu H *see* Naom IS *et al*
Torvik A *see* Strømme P *et al*
Toscano A *see* Digilio MC *et al*
Touitou I *see* Dupont M *et al*
Trembath R *see* Gausden E *et al*
Trembath RC *see* Preece MA *et al*
see Wilson LC *et al*
Trent RJ *see* Smith A *et al*
Trent RJ *et al.* The elusive Angelman syndrome critical region, **714**
Trevisan CP *see* Fanin M *et al*
Trifiro M *see* Davies HR *et al*
Tröger J *see* Spranger S *et al*
Trowsdale J *see* Rhodes DA *et al*
Tumer Z, Horn N. Menkes disease: recent advances and new aspects: *review*, **265**
Tupler R *et al.* A variant of the Nijmegen breakage syndrome with unusual cytogenetic features and intermediate cellular radiosensitivity, **196**
Turc-Carel C *see* Mignon C *et al*
Turk J *see* Barnicoat AJ *et al*
Turner G *see* Partington MW *et al*
Tutschek B *see* Sherlock J *et al*
Tyler R *see* Ayyash H *et al*

Uchino M *see* Uyama E *et al*
Ulbig M *see* Sauer CG *et al*
Ulm B *see* Hengstschläger M *et al*
Ulmer H *see* Spranger S *et al*
Upadhyaya M *see* Smith M *et al*
Upadhyaya M *et al.* Improved molecular diagnosis of facioscapulohumeral muscular dystrophy(FSHD): validation of the differential double digestion for FSHD, **476**
Urtizberea JA *see* Carrié A *et al*
Utermann B *see* Duba H-C *et al*
Utermann G *see* Duba H-C *et al*
Uyama E *et al.* D409H/D409H genotype in Gaucher-like disease: *letter*, **175**

Vainzof M *see* Zatz M *et al*
Vallat J-M *see* Carrié A *et al*
Valler D *see* Catchpoole D *et al*
Valtot F *see* Brézin AP *et al*
van Allen MI *see* McFadden DE *et al*
van Amstel JKP *see* Brooimans RA *et al*
van Broeckhoven C *see* Timmerman V *et al*
van den Berg AJAM *see* Brooimans RA *et al*
Vandenberghe K *see* Devriendt K *et al*
van den Ouweland A *see* Willemsen R *et al*
van den Ouweland AMW *see* Losekoot M *et al*
see van Rijn MA *et al*
van der Hout AH *see* van Essen AJ *et al*
van der Riet AAPM *et al.* Cost effectiveness of DNA diagnosis for four monogenic diseases, **741**
van Dop PA *see* Rump P *et al*
van Duijn CM *see* Tibben A *et al*
van Essen AJ *et al.* The clinical and molecular genetic approach to Duchenne and Becker muscular dystrophy: an updated protocol, **805**
van Essen T *see* Ryan AK *et al*
van Haeringen A *see* Dudokdewit AC *et al*
see Kant SG *et al*
van Hemel J *see* Smeets D *et al*
van Heyningen V *see* Axton R *et al*
see Crolla JA *et al*
van Hout BA *see* van der Riet AAPM *et al*
van Maldergem L *see* Gillerot Y *et al*
van Ommen G-JB *see* Kant SG *et al*
see van Essen AJ *et al*
van Ravenswaaij C *see* Smeets D *et al*
van Rijn MA *et al.* DNA testing for fragile X syndrome: implications for parents and family, **907**
van Schaftingen E *see* Jaeken J *et al*
van Schoubroeck D *see* Devriendt K *et al*
van Steensel MAM. Mirror hands and feet: *letter*, **701**
van Swieten JC *see* Tibben A *et al*
Varady E *see* Al-Gazali LI *et al*
Vasquez AI *see* Correa-Cerro LS *et al*
Vatcheva R *see* Flomen RH *et al*
Vaughn D *see* Stallings R *et al*
Veber PS *see* Raclin V *et al*
Vekemans M *see* de Lonlay-Debeney P *et al*
see Mégarbané A *et al*
Venditti CP *et al.* 46,XX, inv(6)(p21.1p23) in a pedigree with hereditary haemochromatosis, **24**
Venema HW *see* Zguricas J *et al*
Vergnaud G *see* Giraudeau F *et al*
Verloes A *et al.* Nasu-Hakola syndrome: polycystic lipomembranous osteodysplasia with sclerosing leucoencephalopathy and presenile dementia: *syndrome of the month*, **753**
Verma RS *et al.* Characterisation of a satellited non-fluorescent Y chromosome (Y^{inqs}) by FISH, **817**
Vermeesch JR *see* Devriendt K *et al*
Viguié F *see* Benzacken B *et al*
Vilarinho L *et al.* The mitochondrial A3243G mutation presenting as severe cardiomyopathy, **607**
Viljoen D *see* Gardner JC *et al*
Vinet MC *see* Portes VD *et al*
Virginillo M *see* Iglesias DM *et al*
Viribay M *see* Iglesias DM *et al*
Vivario M *see* Verloes A *et al*
Voit T *see* Carrié A *et al*
von Gernet S *see* Golla A *et al*
von Schnakenburg C, Rumsby G. Primary hyperoxaluria type 1: a cluster of new mutations in exon 7 of the AGXT gene, **489**
Votruba M *et al.* Genetic refinement of dominant optic atrophy (OPA1) locus to within a 2 cM interval of chromosome 3q, **117**

Wada Y *see* Okamoto N *et al*
Waddle K *see* Mackie-Ogilvie C *et al*
Wadelius M *see* Smith CAD *et al*
Walford-Moore J *see* Skirton H *et al*
Walker AP *see* Robson KJH *et al*
Wallace A *see* Hartley *et al*
Wallace AJ *see* Bijlsma EK *et al*
Wallace MR *see* Colman SD *et al*
Wallerstein R *et al.* Submicroscopic deletions at 16p13.3 in Rubinstein-Taybi syndrome: frequency and clinical manifestations in a North American population, **203**
Wallgren-Pettersson C *see* North KN *et al*
Walpole IR *et al.* Evaluation of a project to enhance knowledge of hereditary diseases and management, **831**
Wang Q *see* Barnicoat AJ *et al*
Wang T-R *see* Lee-Chen G-J and Wang T-R
Warner AM *see* Beales PL *et al*
Warren ST *see* Kunst CB *et al*
see Losekoot M *et al*
Wassén C *see* Arnell H *et al*
Watson C *see* Walpole IR *et al*
Watson MS *see* Dowton SB *et al*
Watson R *see* Flanagan N *et al*
Webb TP *see* Morton JE *et al*
Weber BHF *see* Sauer CG *et al*
Webster B *see* Dean J *et al*
Weinblatt V *see* Wallerstein R *et al*
Weir TD *see* Sandford AJ *et al*
Weiss S *see* Iyengar S *et al*
Weissenbach J *see* Naom IS *et al*
White MP *see* Whiteford ML *et al*
Whiteford ML *et al.* Paternal uniparental disomy for chromosome 6 causes transient neonatal diabetes, **167**
Whittall RA *see* Day INM *et al*
Wilcox WR *see* Castriota-Scanderbeg A *et al*
Wilkes D *see* Reardon W *et al*
Wilkinson AG *see* Whiteford ML *et al*
Willatt L *see* Patel JS *et al*
Willems T *see* Gillerot Y *et al*
Willemsen R *see* Losekoot M *et al*
Willemsen R *et al.* Rapid antibody test for prenatal diagnosis of fragile X syndrome on amniotic fluid cells: a new appraisal, **250**
Williams DK *et al.* Marshall-Smith syndrome: the expanding phenotype, **842**
Williamson C *et al.* Localisation of a gene causing endocrine neoplasia to a 4 cM region on chromosome 1p35-p36, **617**
Williamson M *see* Cragg H *et al*
Williamson P *see* Hartley *et al*
Wilson DI *see* Ryan AK *et al*
Wilson LC *et al.* Normal erythrocyte membrane Gsα bioactivity in two unrelated patients with acrodysostosis, **133**
Winchester B *see* Cragg H *et al*
Winter RM *see* Gausden E *et al*
see Gilbert HL *et al*
see Reardon W *et al*
see Ryan AK *et al*
Winterpacht A *see* Golla A *et al*
Wirth B *see* Spranger S *et al*
Wissinger B *see* Kohl S *et al*
Witchel SF *see* Garcia-Heras J *et al*
Wolf CR *see* Smith CAD *et al*
Wood PJ *see* Power MM *et al*

Wooding C *see* Williamson C *et al*
Woods CG *see* Trent RJ *et al*
Woods CG *et al*. A study of brothers with Klinefelter syndrome: *letter*, 702
Worthington S *et al*. Anal anomalies: an uncommon feature of velocardiofacial (Shprintzen) syndrome?, 79
Worwood M *see* Robson KJH *et al*
Wrabetz L *see* Sessa M *et al*
Wright AF *see* Strain L *et al*
Wustefeld HPJ *see* Zguricas J *et al*

Xia JH *see* Cai T *et al*
Xia X *see* Cai T *et al*
see Pandya A *et al*

Yamada N *see* Sohda S *et al*
Yates JRW *see* Dow DJ *et al*
Yenigun A *see* Özkinay FF *et al*
Yokoyama Y *see* Narahara K *et al*
Young E *see* Cragg H *et al*
Young I *see* Giraudeau F *et al*
see Martland T *et al*
Young ID *see* Crolla JA *et al*
Yu P *see* Ajioka RS *et al*
see Cai T *et al*
Yu S *see* Narahara K *et al*
Yuksel H *see* Özkinay FF *et al*
Yunis E *see* Arboleda H *et al*

Zatz M *et al*. Segregation distortion of the CTG repeats at the myotonic dystrophy (DM) locus: new data from Brazilian DM families: *letter*, 790
Zegers BJM *see* Brooimans RA *et al*
zekanowski C *et al*. Molecular basis of mild hyperphenylalaninaemia in Poland, 1035
Zerres K *see* Spranger S *et al*
Zguricas J *et al*. Metacarpophalangeal pattern (MCPP) profile analysis in a family with triphalangeal thumb, 55
Zhao Y *see* Iyengar S *et al*
Zlotogora J. Autosomal recessive diseases among Palestinian Arabs, 765
Zlotogora J *et al*. A syndrome including thumb malformations, microcephaly, short stature, and hypogonadism, 813
Zoeteweij MW *see* Dudokdewit AC *et al*
Zrenner E *see* Kohl S *et al*

VOLUME 34 • SUBJECT INDEX

11p trisomy, Paternally inherited duplications of 11p15.5 and Beckwith-Wiedemann syndrome, **819**
16p133, Genetic linkage study of familial Mediterranean fever (FMF) to 16p13.3 and evidence for genetic heterogeneity in the Turkish population, **573**
1844+1G→A mutation, Homozygosity by descent for a rare mutation in the myophosphorylase gene is associated with variable phenotypes in a Druze family with McArdle disease, **391**
19 translocation, Diamond-Blackfan anaemia in a girl with a de novo balanced reciprocal X;19 translocation, **779**
α-1-antitrypsin Mutation in the 3' region of the α-1-antitrypsin gene and chronic obstructive pulmonary disease, **874**
1p34-p36, Genetic heterogeneity in Schwartz-Jampel syndrome: two families with neonatal Schwartz-Jampel syndrome do not map to human chromosome 1p34-p36.1, **685**

21q22.1-qter trisomy, Down syndrome: characterisation of a case with partial trisomy of chromosome 21 owing to a paternal balanced translocation (15;21)(q26;q22.1) by FISH, **50**
22q11 deletion, Anal anomalies: an uncommon feature of velocardiofacial (Shprintzen) syndrome?, **79**
Prenatal diagnosis of 22q11 deletions: a series of five cases with congenital heart defects, **679**
2q deletion, RDCI, the vasoactive intestinal peptide receptor: a candidate gene for the features of Albright hereditary osteodystrophy associated with deletion of 2q37, **287**

3q25, Interstitial deletion of band 3q25, **430**
3q26-qter trisomy, A novel case of unilateral blepharophimosis syndrome and mental retardation associated with de novo trisomy for chromosome 3q, **772**

4p-, Pitt-Rogers-Danks syndrome and Wolf-Hirschhorn syndrome are caused by a deletion in the same region on chromosome 4p16.3, **569**
4p deletion, Pitt-Rogers-Danks syndrome and Wolf-Hirschhorn syndrome are caused by a deletion in the same region on chromosome 4p16.3, **569**
4p16.3 deletion and duplication, Translocations involving 4p16.3 in three families: deletion causing the Pitt-Rogers-Danks syndrome and duplication resulting in a new overgrowth syndrome, **719**
4q deletion, Interstitial deletion of bands 4q12→q13.1: case report and review of proximal 4q deletions, **862**

69,XXX/47,XX,+15, Karyotype 69,XXX/47,XX,+15 in a 2½ year old child, **246**

7q36, Isolated sacral agenesis in a fetus monosomic for 7q36.1→qter, **866**

A3243G, The mitochondrial A3243G mutation presenting as severe cardiomyopathy, **607**
Aagenaes syndrome, Parent-child transmission of infantile cholestasis with lymphoedema (Aagenaes syndrome), **852**
acrodysostosis, Normal erythrocyte membrane Gsα bioactivity in two unrelated patients with acrodysostosis, **133**
α-actinin Nemaline myopathy: current concepts: *review,* **705**
advanced bone age, Marshall-Smith syndrome: the expanding phenotype, **842**
Africa, Oculocutaneous albinism in an isolated Tonga community in Zimbabwe, **733**
AGXT, Primary hyperoxaluria type 1: a cluster of new mutations in exon 7 of the AGXT gene, **489**
Aicardi syndrome, Monozygotic twins discordant for Aicardi syndrome, **688**
Alagille syndrome, Alagille syndrome: *syndrome of the month,* **152**
albinism, Oculocutaneous albinism in an isolated Tonga community in Zimbabwe, **733**
Albright, RDCI, the vasoactive intestinal peptide receptor: a candidate gene for the features of Albright hereditary osteodystrophy associated with deletion of 2q37, **287**
Albright's hereditary osteodystrophy, Normal erythrocyte membrane Gsα bioactivity in two unrelated patients with acrodysostosis, **133**
ALL, Four frameshift mutations in neurofibromatosis type 1 caused by small insertions, **579**
allele frequency, Molecular analysis of the human vitamin D binding protein (group specific component, Gc) in tuberous sclerosis complex (TSC), **509**
alobar holoprosencephaly, Prenatal diagnosis of de novo proximal interstitial deletion of 14q associated with cebocephaly, **777**
Alport's syndrome, Alport's syndrome: *syndrome of the month,* **326**
Alzheimer's disease, Preparing for presymptomatic DNA testing for early onset Alzheimer's disease/cerebral haemorrhage and hereditary Pick disease, **63**
amniotic fluid, Rapid antibody test for prenatal diagnosis of fragile X syndrome on amniotic fluid cells: a new appraisal, **250**
anal anomalies, Anal anomalies: an uncommon feature of velocardiofacial (Shprintzen) syndrome?, **79**
androgen insensitivity syndrome, Androgen insensitivity with mental retardation: a contiguous gene syndrome?, **158**
androgen receptor, Androgen insensitivity with mental retardation: a contiguous gene syndrome?, **158**
androgen receptor assay (HAR), De novo der(X)t(X;10)(q26;q21) with features of distal trisomy 10q: case report of paternal origin identified by late replication with BrdU and the human androgen receptor assay (HAR), **242**
Angelman syndrome, Counselling dilemmas associated with the molecular characterisation of two Angelman syndrome families, **651**
The elusive Angelman syndrome critical region, **714**
angiotensin converting enzyme (ACE) inhibitors, Congenital renal tubular dysplasia and skull ossification defects similar to teratogenic effects of angiotensin converting enzyme (ACE) inhibitors, **541**
aniridia, The incidence of PAX6 mutation in patients with simple aniridia: an evaluation of mutation detection in 12 cases, **279**
ApoE polymorphisms, The effects of genotype and infant weight on adult plasma levels of fibrinogen, factor VII, and LDL cholesterol are additive, **553**
Arabs, Autosomal recessive diseases among Palestinian Arabs, **765**
Further delineation of Nevo syndrome, **366**
arachnoid cyst, Dominantly inherited cerebral dysplasia: arachnoid cyst associated with mild mental handicap in a mother and her son, **1018**
arch fingerprints, Arch fingerprints, hypotonia, and areflexia associated with X linked mental retardation, **465**
arylamine N-acetyltransferase polymorphism, A simplified assay for the arylamine N-acetyltransferase 2 polymorphism validated by phenotyping with isoniazid, **758**
arylsulphatase A, Metachromatic leucodystrophy in three families from Nova Scotia, Canada: a recurring mutation in the arylsulphatase A gene, **493**
ataxia, Two sibs with chorioretinal dystrophy, hypogonadotrophic hypogonadism, and cerebellar ataxia: Boucher-Neuhäuser syndrome, **767**
ATP7A, Abnormalities of copper accumulation in cell lines established from nine different alleles of mottled are the same as those found in Menkes disease, **729**
auditory-pigmentary syndromes, Waardenburg syndrome: *syndrome of the month,* **656**
autism, Interstitial deletion of band 3q25, **430**
autistic, Macrocephaly, epilepsy, autism, dysmorphic features, and mental retardation in two sisters: a new autosomal recessive syndrome?, **849**
autosomal dominant inheritance, Autosomal dominant inheritance of Weaver syndrome, **418**
autosomal recessive, A new locus for non-syndromal, autosomal recessive, sensorineural hearing loss (DFNB16) maps to human chromosome 15q21-q22, **1015**
Autosomal recessive diseases among Palestinian Arabs, **765**
Macrocephaly, epilepsy, autism, dysmorphic features, and mental retardation in two sisters: a new autosomal recessive syndrome?, **849**
autosomal recessive disorder, Wiedemann-Rautenstrauch neonatal progeroid syndrome: report of three new patients, **433**
autosomal recessive limb-girdle muscular dystrophy, Genetic epidemiology of muscular dystrophies resulting from sarcoglycan gene mutations, **973**
autosome translocation, Functional Xp disomy and de novo t(X;13)(q10;q10) in a girl with hypomelanosis of Ito, **161**
autozygosity mapping, A new locus for non-syndromal, autosomal recessive, sensorineural hearing loss (DFNB16) maps to human chromosome 15q21-q22, **1015**

balanced X, Diamond-Blackfan anaemia in a girl with a de novo balanced reciprocal X;19 translocation, **779**
Bardet-Biedl syndrome, Bardet-Biedl syndrome: a molecular and phenotypic study of 18 families, **92**
Batten disease, Rapid detection of the major deletion in the Batten disease gene CLN3 by allele specific PCR, **955**
Beckwith-Wiedemann syndrome, Epigenetic modification and uniparental inheritance of H19 in Beckwith-Wiedemann syndrome, **353**
Paternally inherited duplications of 11p15.5 and Beckwith-Wiedemann syndrome, **819**
behaviour, Intelligence and psychosocial adjustment in velocardiofacial syndrome: a study of 37 children and adolescents with VCFS, **453**
behavioural phenotype, Clinical, cytogenetic, and molecular analysis of three families with FRAXE, **13**

blepharophimosis, A novel case of unilateral blepharophimosis syndrome and mental retardation associated with de novo trisomy for chromosome 3q, **772**
bone maturation-lipid-hormone, Wiedemann-Rautenstrauch neonatal progeroid syndrome: report of three new patients, **433**
borders, Recombinations defining centromeric and telomeric borders for the hereditary haemochromatosis locus, **28**
Boucher-Neuhäuser syndrome, Two sibs with chorioretinal dystrophy, hypogonadotrophic hypogonadism, and cerebellar ataxia: Boucher-Neuhäuser syndrome, **767**
Brazil, Molecular characterisation of cystic fibrosis patients in the state of São Paulo (Brazil): *letter,* **877**
Brazilian families, Segregation distortion of the CTG repeats at the myotonic dystrophy (DM) locus: new data from Brazilian DM families: *letter,* **790**
BRCA1, BRCA1 and BRCA2 mutation analysis in 86 early onset breast/ovarian cancer patients, **990**
Low frequency of BRCA1 germline mutations in 45 German breast/ovarian cancer families, **884**
BRCA1 gene, The 12 base pair duplication/insertion alteration could be a regulatory mutation, **592**
BRCA2, BRCA1 and BRCA2 mutation analysis in 86 early onset breast/ovarian cancer patients, **990**
breast cancer, BRCA1 and BRCA2 mutation analysis in 86 early onset breast/ovarian cancer patients, **990**
breast/ovarian cancer, Low frequency of BRCA1 germline mutations in 45 German breast/ovarian cancer families, **884**
broad thumbs and big toes, Complete situs inversus and broad thumbs and big toes with postaxial polydactyly, **1033**
Bruton's tyrosine kinase, Identification of novel Bruton's tyrosine kinase mutations in 10 unrelated subjects with X linked agammaglobulinaemia, **484**

CAG, Exclusion of CAG repeat expansion as the cause of disease in autosomal dominant retinitis pigmentosa families, **130**
CAG81, Meiotic instability associated with the CAG81 trinucleotide repeat at 13q13, **411**
calvarial hypoplasia, Renal tubular dysgenesis with calvarial hypoplasia: report of two additional cases and review, **846**
cancer, Uptake of genetic testing for cancer predisposition, **746**
candidate genes, Genetic linkage analysis of 14 candidate gene loci in a family with autosomal dominant osteoarthritis without dysplasia, **1024**
CAPED, An ancestral core haplotype defines the critical region harbouring the North Carolina macular dystrophy gene (MCDR1), **961**
carbohydrate deficient glycoprotein syndrome, Carbohydrate deficient glycoprotein (CDG) syndrome type I: *syndrome of the month,* **73**
cardiomyopathy, Multiple lentigines syndrome (LEOPARD syndrome or progressive cardiomyopathic lentiginosis): *syndrome of the month,* **582**
The mitochondrial A3243G mutation presenting as severe cardiomyopathy, **607**
cardiovascular calcifications, D409H/D409H genotype in Gaucher-like disease: *letter,* **175**
carrier females, Severe manifestions in carrier females in X linked retinitis pigmentosa, **793**
carrier state, The clinical and molecular genetic approach to Duchenne and Becker muscular dystrophy: an updated protocol, **805**
cascade screening, DNA testing for fragile X syndrome: implications for parents and family, **907**
caudal regression, Further evidence for preaxial hallucal polydactyly as a marker of diabetic embryopathy, **261**
cebocephaly, Cebocephaly, alobar holoprosencephaly, spina bifida, and sirenomelia in a stillbirth, **252**
Prenatal diagnosis of de novo proximal interstitial deletion of 14q associated with cebocephaly, **777**
cerebral dysplasia, Dominantly inherited cerebral dysplasia: arachnoid cyst associated with mild mental handicap in a mother and her son, **1018**
cerebral malformation, Dentato-olivary dysplasia in sibs: an autosomal recessive disorder?, **1021**
CF mutation frequencies, Molecular characterisation of cystic fibrosis patients in the state of São Paulo (Brazil): *letter,* **877**
CFTR gene, Novel and characteristic CFTR mutations in Saudi Arab children with severe cystic fibrosis, **996**
CFTR mutation, Genotype-phenotype correlation in five cystic fibrosis patients homozygous for the 621+1G→T mutation: *letter,* **788**
CGG repeat, The effect of FMR1 CGG repeat interruptions on mutation frequency as measured by sperm typing, **627**
Charcot-Marie-Tooth disease, SMN gene analysis of the spinal form of Charcot-Marie-Tooth disease, **507**
CHARGE association, Features of DiGeorge syndrome and CHARGE association in five patients, **986**
childhood growth, The Y specific growth gene(s): how does it promote stature?: *hypothesis,* **323**
cholestasis, Parent-child transmission of infantile cholestasis with lymphoedema (Aagenaes syndrome), **852**
chondrodysplasia, Genetic linkage analysis of 14 candidate gene loci in a family with autosomal dominant osteoarthritis without dysplasia, **1024**
chorioretinal degeneration, Two sibs with chorioretinal dystrophy, hypogonadotrophic hypogonadism, and cerebellar ataxia: Boucher-Neuhäuser syndrome, **767**
chromosomal aneuploidy detection, Prenatal detection of fetal aneuploidies using transcervical cell samples, **302**
chromosomal in situ hybridisation, Familial complex chromosome rearrangement ascertained by in situ hybridisation, **164**
chromosomal polymorphisms, At least nine cases of trisomy 11q23→qter in one generation as a result of familial t(11;13) translocation, **18**
chromosome 10p, Features of DiGeorge syndrome and CHARGE association in five patients, **986**
chromosome 14, Delineation of 14q32.3 deletion syndrome, **515**
chromosome 15(q11-13), Clinical features in four patients with Angelman syndrome resulting from paternal uniparental disomy, **426**
chromosome 16, Genotypic diagnosis of familial Mediterranean fever (FMF) using new microsatellite markers: example of two extensive non-Ashkenazi Jewish pedigrees, **375**
chromosome 16p deletions, Submicroscopic deletions at 16p13.3 in Rubinstein-Taybi syndrome: frequency and clinical manifestations in a North American population, **203**
chromosome 1p deletion, Molecular-cytogenetic detection of a deletion of 1p36.3, **314**
chromosome 1p35-p36, Localisation of a gene causing endocrine neoplasia to a 4 cM region on chromosome 1p35-p36, **617**
chromosome 21, Double partial trisomy 9q34.1→qter and 21pter→q22.11: FISH and clinical findings, **945**
chromosome 22q11, Chromosome 22q11 deletion presenting as the Potter sequence, **423**
chromosome 22q11 deletion, Spectrum of clinical features associated with interstitial chromosome 22q11 deletions: a European collaborative study, **798**
chromosome 22q11.2, Features of DiGeorge syndrome and CHARGE association in five patients, **986**
chromosome 6, Fortuitous detection of uniparental isodisomy of chromosome 6, **77**
Identification of a recombination event narrowing the Lafora disease gene region, **590**
Paternal uniparental disomy for chromosome 6 causes transient neonatal diabetes, **167**
chromosome 6q14-q162, An ancestral core haplotype defines the critical region harbouring the North Carolina macular dystrophy gene (MCDR1), **961**
chromosome 7, Maternal uniparental disomy 7 in Silver-Russell syndrome, **6**
Phosphoserine phosphatase deficiency in a patient with Williams syndrome, **594**
chromosome 7q, Different proximal and distal rearrangements of chromosome 7q associated with holoprosencephaly, **899**
chromosome 9, Double partial trisomy 9q34.1→qter and 21pter→q22.11: FISH and clinical findings, **945**
chromosome 9p, Impaired male sex development in an infant with molecularly defined partial 9p monosomy: implication for a testis forming gene(s) on 9p, **331**
chromosome band 14q32.3, Delineation of 14q32.3 deletion syndrome, **515**
chromosome band 19q13, Diamond-Blackfan anaemia in a girl with a de novo balanced reciprocal X;19 translocation, **779**
chromosome deletion, Clustering of Y chromosome deletions in subinterval E of interval 6 supports the existence of an oligozoospermia critical region outside the DAZ gene, **881**
Prenatal diagnosis of de novo proximal interstitial deletion of 14q associated with cebocephaly, **777**
chromosome deletion 4q, Interstitial deletion, del(4)(q12q21.1), owing to de novo unbalanced translocation in a 2 year old girl: further evidence that the piebald trait maps to proximal 4q12, **692**
chromosome deletion (9)(q343), A report of a child with a deletion (9)(q34.3): a recognisable phenotype?, **610**
chromosome instability, A variant of the Nijmegen breakage syndrome with unusual cytogenetic features and intermediate cellular radiosensitivity, **196**
chromosome translocation, At least nine cases of trisomy 11q23→qter in one generation as a result of familial t(11;13) translocation, **18**
classical phenotype, De Lange syndrome: subjective and objective comparison of the classical and mild phenotypes, **645**
clinical features, Submicroscopic deletions at 16p13.3 in Rubinstein-Taybi syndrome: frequency and clinical manifestations in a North American population, **203**
CLN3, Rapid detection of the major deletion in the Batten disease gene CLN3 by allele specific PCR, **955**
CMT, Detection of the CMT1A/HNPP recombination hotspot in unrelated patients of European descent, **43**
CMT1A, Atypical hereditary neuropathy with liability to pressure palsies (HNPP): the value of direct DNA diagnosis, **889**
CN1, Molecular analysis of patients of Sardinian descent with Crigler-Najjar syndrome type I, **122**

complex chromosomal rearrangement, Familial four breakpoint complex chromosomal rearrangement as a cause of monosomy 9p22→pter and trisomy 10p11.2→pter and 11q21 analysed by dual and triple colour FISH, **696**
complex chromosomal translocation, Familial complex chromosome rearrangement ascertained by in situ hybridisation, **164**
congenital, Paternal transmission of congenital myotonic dystrophy, **930**
congenital adrenal hyperplasia, Characterisation of CAH alleles with non-radioactive DNA single strand conformation polymorphism analysis of the CYP21 gene, **223**
congenital anomaly syndrome, Chromosome 18q22.2→qter deletion and a congenital anomaly syndrome with multiple vertebral segmentation defects, **414**
congenital heart defect, Conotruncal heart defect/microphthalmia syndrome: delineation of an autosomal recessive syndrome, **927**
Recurrence risk figures for isolated tetralogy of Fallot after screening for 22q11 microdeletion, **188**
congenital heart disease, A report of a child with a deletion (9)(q34.3): a recognisable phenotype?, **610**
Karyotype 69,XXX/47,XX,+15 in a 2½ year old child, **246**
Unusual traits associated with Robinow syndrome, **736**
congenital muscular dystrophy, Refinement of the laminin α2 chain locus to human chromosome 6q2 in severe and mild merosin deficient congenital muscular dystrophy, **99**
congenital myopathy, Nemaline myopathy: current concepts: *review,* **705**
consanguineous marriages, Effects of consanguineous marriage on reproductive outcome in an Arab community in Israel, **1000**
consanguinity, Autosomal recessive diseases among Palestinian Arabs, **765**
consanguinity , Tuberous sclerosis complex: neonatal deaths in three of four children of consanguineous, non-expressing parents, **256**
COPD, Mutation in the 3' region of the α-1-antitrypsin gene and chronic obstructive pulmonary disease, **874**
copper, Abnormalities of copper accumulation in cell lines established from nine different alleles of mottled are the same as those found in Menkes disease, **729**
copper metabolism, Menkes disease: recent advances and new aspects: *review,* **265**
corpus callosum, Lethal femoral-facial syndrome: a case with unusual manifestations, **518**
corpus callosum dysgenesis, A case of Lenz microphthalmia syndrome, **604**
cost effectiveness, Cost effectiveness of DNA diagnosis for four monogenic diseases, **741**
craniofacial pattern profiles, De Lange syndrome: subjective and objective comparison of the classical and mild phenotypes, **645**
craniosynostosis, A novel mutation (a886g) in exon 5 of FGFR2 in members of a family with Crouzon phenotype and plagiocephaly, **420**
Craniosynostosis associated with FGFR3 pro250arg mutation results in a range of clinical presentations including unisutural sporadic craniosynostosis, **632**
Phenotypic expression of the fibroblast growth factor receptor 3 (FGFR3) mutation P250R in a large craniosynostosis family, **683**
Crouzon syndrome, A novel mutation (a886g) in exon 5 of FGFR2 in members of a family with Crouzon phenotype and plagiocephaly, **420**
cryptic deletion, A 4 Mb cryptic deletion associated with inv(8)(q13.1q24.11) in a patient with trichorhinophalangeal syndrome type I, **335**
cryptic insertion, Familial four breakpoint complex chromosomal rearrangement as a cause of monosomy 9p22→pter and trisomy 10p11.2→pter and 11q21 analysed by dual and triple colour FISH, **696**
cryptic subtelomeric rearrangement, Cryptic terminal rearrangement of chromosome 22q13.32 detected by FISH in two unrelated patients, **640**
CTG repeats, Segregation distortion of the CTG repeats at the myotonic dystrophy (DM) locus: new data from Brazilian DM families: *letter,* **790**
cystic fibrosis, CFTR mutations and IVS8-5T variant in newborns with hypertrypsinaemia and normal sweat test, **297**
Genotype-phenotype correlation in five cystic fibrosis patients homozygous for the 621+1G→T mutation: *letter,* **788**
Genotype-phenotype relationship in 12 patients carrying cystic fibrosis mutation R334W, **89**
Molecular characterisation of cystic fibrosis patients in the state of São Paulo (Brazil): *letter,* **877**
Novel and characteristic CFTR mutations in Saudi Arab children with severe cystic fibrosis, **996**
The uptake and acceptability to patients of cystic fibrosis carrier testing offered in pregnancy by the GP, **459**
cytofluorometric approach, A new cytofluorometric approach to detect fetal cells in the maternal circulation: *letter,* **789**
cytogenetic imbalance, The phenotypic effects of chromosome rearrangement involving bands 7q21.3 and 22q13.3, **857**
D22S39, Cryptic terminal rearrangement of chromosome 22q13.32 detected by FISH in two unrelated patients, **640**
D409H mutation, D409H/D409H genotype in Gaucher-like disease: *letter,* **175**
De Lange syndrome, De Lange syndrome: subjective and objective comparison of the classical and mild phenotypes, **645**
de novo deletions, De novo deletions in spinal muscular atrophy: implications for genetic counselling: *letter,* **86**
de novo t(3;15), Mosaicism for trisomy 3q arising from an unbalanced, de novo t(3;15), **512**
deafness, Familial streptomycin ototoxicity in a South African family: a mitochondrial disorder, **904**
Multiple lentigines syndrome (LEOPARD syndrome or progressive cardiomyopathic lentiginosis): *syndrome of the month,* **582**
The incidence of deafness is non-randomly distributed among families segregating for Waardenburg syndrome type 1 (WS1), **447**
Wolfram (DIDMOAD) syndrome: *syndrome of the month,* **838**
del(22)(q133), Cryptic terminal rearrangement of chromosome 22q13.32 detected by FISH in two unrelated patients, **640**
deletion 18q22.2→qter, Chromosome 18q22.2→qter deletion and a congenital anomaly syndrome with multiple vertebral segmentation defects, **414**
deletion 22q11, Radial aplasia and chromosome 22q11 deletion, **942**
deletion del(4)(q25q27), Rieger syndrome locus: a new reciprocal translocation t(4;12)(q25;q15) and a deletion del(4)(q25q27) both break between markers D4S2945 and D4S193, **191**
deletion syndrome, Delineation of 14q32.3 deletion syndrome, **515**
deletion Xq, De novo der(X)t(X;10)(q26;q21) with features of distal trisomy 10q: case report of paternal origin identified by late replication with BrdU and the human androgen receptor assay (HAR), **242**
dental pits, Developmental enamel defects in tuberous sclerosis: a clinical genetic marker?, **637**
dentato-olivary dysplasia, Dentato-olivary dysplasia in sibs: an autosomal recessive disorder?, **1021**
developmental delay, No evidence for uniparental disomy as a common cause of Sotos syndrome, **10**
diabetes, Wolfram (DIDMOAD) syndrome: *syndrome of the month,* **838**
diagnosis, Marfan syndrome: *letter,* **614**
diagnostic confusion, Limb-girdle muscular dystrophy or spinal muscular atrophy: a source of diagnostic confusion?: *letter,* **958**
Diamond-Blackfan anaemia, Diamond-Blackfan anaemia in a girl with a de novo balanced reciprocal X;19 translocation, **779**
diaphragmatic hernia, Congenital diaphragmatic hernia with probable autosomal recessive inheritance in an extended consanguineous Pakistani pedigree, **601**
differential diagnosis, Pure hereditary spastic paraplegia: *syndrome of the month,* **499**
DiGeorge syndrome, Features of DiGeorge syndrome and CHARGE association in five patients, **986**
Spectrum of clinical features associated with interstitial chromosome 22q11 deletions: a European collaborative study, **798**
discordant, Monozygotic twins discordant for Aicardi syndrome, **688**
distal SMA, Proximal and distal spinal muscular atrophy in one family: molecular genetic studies provide further evidence for the non-allelic origin of both diseases, **340**
distal trisomy 10q, De novo der(X)t(X;10)(q26;q21) with features of distal trisomy 10q: case report of paternal origin identified by late replication with BrdU and the human androgen receptor assay (HAR), **242**
DNA diagnosis, Cost effectiveness of DNA diagnosis for four monogenic diseases, **741**
DNA methylation, Counselling dilemmas associated with the molecular characterisation of two Angelman syndrome families, **651**
DNA predictive testing, Uptake of genetic testing for cancer predisposition, **746**
dominant, A family with a milder form of adult dominant polycystic kidney disease not linked to the PKD1 (16p) or PKD2 (4q) genes, **587**
dominant inheritance, Dominantly inherited cerebral dysplasia: arachnoid cyst associated with mild mental handicap in a mother and her son, **1018**
dominant optic atrophy, Genetic refinement of dominant optic atrophy (OPA1) locus to within a 2 cM interval of chromosome 3q, **117**
dominant optic atrophy (Kjer type), Linkage studies in dominant optic atrophy, Kjer type: possible evidence for heterogeneity, **967**
double partial trisomy, Double partial trisomy 9q34.1→qter and 21pter→q22.11: FISH and clinical findings, **945**
Down syndrome, Down syndrome: characterisation of a case with partial trisomy of chromosome 21 owing to a paternal balanced translocation (15;21)(q26;q22.1) by FISH, **50**
Down's syndrome, A case of apparent trisomy 21 without the Down's syndrome phenotype, **597**
Duchenne muscular dystrophy, The clinical and molecular genetic approach to Duchenne and Becker muscular dystrophy: an updated protocol, **805**

Duchenne-like muscular dystrophy, Genetic epidemiology of muscular dystrophies resulting from sarcoglycan gene mutations, **973**
duplication, The 12 base pair duplication/insertion alteration could be a regulatory mutation, **592**
duplication 11p, Paternally inherited duplications of 11p15.5 and Beckwith-Wiedemann syndrome, **819**
dysmorphology, Interstitial duplication of the short arm of chromosome 2: report of a new case and review, **783**
dysplasia, Progressive pseudorheumatoid dysplasia: report of a family and review, **559**

early onset sporadic colon cancer, Germline HNPCC gene variants have little influence on the risk for sporadic colorectal cancer, **39**
early symptoms, Intelligence indices in people with a high/low risk for developing Huntington's disease, **564**
echocardiography, Prenatal diagnosis of 22q11 deletions: a series of five cases with congenital heart defects, **679**
educational strategies, Evaluation of a project to enhance knowledge of hereditary diseases and management, **831**
Ehlers-Danlos syndrome, Ehlers-Danlos syndrome has varied molecular mechanisms: *syndrome of the month,* **400**
elastin, Phosphoserine phosphatase deficiency in a patient with Williams syndrome, **594**
elastin locus, Fluorescent in situ hybridisation (FISH) for hemizygous deletion at the elastin locus in patients with isolated supravalvular aortic stenosis, **306**
endocrine tumours, Localisation of a gene causing endocrine neoplasia to a 4 cM region on chromosome 1p35-p36, **617**
enlarged fontanelles, Renal tubular dysgenesis with calvarial hypoplasia: report of two additional cases and review, **846**
epiglottis, Linkage mapping and phenotypic analysis of autosomal dominant Pallister-Hall syndrome, **441**
epilepsy, Clinical features in four patients with Angelman syndrome resulting from paternal uniparental disomy, **426**
Identification of a recombination event narrowing the Lafora disease gene region, **590**
European meeting, Report of the Fifth European Meeting on Psychosocial Aspects of Genetics: *conference report,* **346**
evaluation, Evaluation of a project to enhance knowledge of hereditary diseases and management, **831**

factor VII, The effects of genotype and infant weight on adult plasma levels of fibrinogen, factor VII, and LDL cholesterol are additive, **553**
familial hypercholesterolaemia, Identification of a common low density lipoprotein receptor mutation (R329X) in the south of England: complete linkage disequilibrium with an allele of microsatellite D19S394, **111**
familial Mediterranean fever, Genetic linkage study of familial Mediterranean fever (FMF) to 16p13.3 and evidence for genetic heterogeneity in the Turkish population, **573**
familial osteoarthritis, Genetic linkage analysis of 14 candidate gene loci in a family with autosomal dominant osteoarthritis without dysplasia, **1024**
Fanconi anaemia, A syndrome including thumb malformations, microcephaly, short stature, and hypogonadism, **813**
FAP, Uptake of genetic testing for cancer predisposition, **746**
femoral-facial syndrome, Lethal femoral-facial syndrome: a case with unusual manifestations, **518**
fertility, Evidence for a cryptic 46,XX cell line in a 45,X/46,X,psu idic(Xq) patient with normal reproduction, **1030**
fetal ACE inhibitors syndrome, Congenital renal tubular dysplasia and skull ossification defects similar to teratogenic effects of angiotensin converting enzyme (ACE) inhibitors, **541**
fetal cells, A new cytofluorometric approach to detect fetal cells in the maternal circulation: *letter,* **789**
fetal heart, Prenatal diagnosis of 22q11 deletions: a series of five cases with congenital heart defects, **679**
fetopathology, Genetic heterogeneity of Meckel syndrome, **1003**
FGFR2, A novel mutation (a886g) in exon 5 of FGFR2 in members of a family with Crouzon phenotype and plagiocephaly, **420**
FGFR3, Craniosynostosis associated with FGFR3 pro250arg mutation results in a range of clinical presentations including unisutural sporadic craniosynostosis, **632**
Phenotypic expression of the fibroblast growth factor receptor 3 (FGFR3) mutation P250R in a large craniosynostosis family, **683**
Translocations involving 4p16.3 in three families: deletion causing the Pitt-Rogers-Danks syndrome and duplication resulting in a new overgrowth syndrome, **719**
fibrinogen, The effects of genotype and infant weight on adult plasma levels of fibrinogen, factor VII, and LDL cholesterol are additive, **553**
FISH, A FISH approach to defining the extent and possible clinical significance of deletions at the WAGR locus, **207**
Detection of a de novo duplication of 1q32-qter by fluorescence in situ hybridisation in a boy with multiple malformations: further delineation of the trisomy 1q syndrome, **309**
Double partial trisomy 9q34.1→qter and 21pter→q22.11: FISH and clinical findings, **945**
Fluorescent in situ hybridisation (FISH) for hemizygous deletion at the elastin locus in patients with isolated supravalvular aortic stenosis, **306**
Physical localisation of the breakpoints of a constitutional translocation t(5;6)(q21;q21) in a child with bilateral Wilms' tumour, **343**
Prenatal detection of fetal aneuploidies using transcervical cell samples, **302**
fluorescence in situ hybridisation, Diamond-Blackfan anaemia in a girl with a de novo balanced reciprocal X;19 translocation, **779**
fluorescent in situ hybridisation, Submicroscopic deletions at 16p13.3 in Rubinstein-Taybi syndrome: frequency and clinical manifestations in a North American population, **203**
fluorescent PCR, Prenatal detection of fetal aneuploidies using transcervical cell samples, **302**
FMF, Genotypic diagnosis of familial Mediterranean fever (FMF) using new microsatellite markers: example of two extensive non-Ashkenazi Jewish pedigrees, **375**
FMR1, The effect of FMR1 CGG repeat interruptions on mutation frequency as measured by sperm typing, **627**
FMR1 gene, DNA testing for fragile X syndrome: implications for parents and family, **907**
Prenatal diagnosis of the fragile X syndrome: loss of mutation owing to a double recombinant or gene conversion event at the FMR1 locus, **924**
FMR1 protein, Prenatal diagnosis of the fragile X syndrome: loss of mutation owing to a double recombinant or gene conversion event at the FMR1 locus, **924**
FMRP, Rapid antibody test for prenatal diagnosis of fragile X syndrome on amniotic fluid cells: a new appraisal, **250**
founder mutation, Assessment of French patients with LPL deficiency for French Canadian mutations, **672**
fragile X syndrome, DNA testing for fragile X syndrome: implications for parents and family, **907**
Fragile X syndrome is less common than previously estimated, **1**
Rapid antibody test for prenatal diagnosis of fragile X syndrome on amniotic fluid cells: a new appraisal, **250**
FRAXA, Fragile X syndrome is less common than previously estimated, **1**
FRAXE, Clinical, cytogenetic, and molecular analysis of three families with FRAXE, **13**
FRAXF, Clinical, cytogenetic, and molecular analysis of three families with FRAXE, **13**
French Canadian, Genotype-phenotype correlation in five cystic fibrosis patients homozygous for the 621+1G→T mutation: *letter,* **788**
French Canadians, Assessment of French patients with LPL deficiency for French Canadian mutations, **672**
Friedreich's ataxia, Analysis of spinocerebellar ataxia types 1, 2, 3, and 6, dentatorubral-pallidoluysian atrophy, and Friedreich's ataxia genes in spinocerebellar ataxia patients in the UK, **982**
FSHD, Improved molecular diagnosis of facioscapulohumeral muscular dystrophy(FSHD): validation of the differential double digestion for FSHD, **476**
α-fucosidase, Fucosidosis: genetic and biochemical analysis of eight cases, **105**
fucosidosis, Fucosidosis: genetic and biochemical analysis of eight cases, **105**
functional Xp disomy, Functional Xp disomy and de novo t(X;13)(q10;q10) in a girl with hypomelanosis of Ito, **161**

G6PD, Frequency of the G6PD nt 1311 C/T polymorphism in English and Iranian populations: relevance to studies of X chromosome inactivation, **1028**
Gaucher disease, Gaucher disease: molecular screening of the glucocerebrosidase 1601G and 1601A alleles in Victoria, British Columbia, Canada, **83**
Gaucher disease plus: *letter,* **876**
Gaucher-like disease, D409H/D409H genotype in Gaucher-like disease: *letter,* **175**
gene linkage, Identification of a recombination event narrowing the Lafora disease gene region, **590**
gene mapping, A new X linked recessive syndrome of mental retardation and mild dysmorphism maps to Xq28, **529**
general practice, The uptake and acceptability to patients of cystic fibrosis carrier testing offered in pregnancy by the GP, **459**
genetic counselling, Associated malformations in the family of a patient with Meckel syndrome: heterozygous expression?, **937**
Cost effectiveness of DNA diagnosis for four monogenic diseases, **741**
De novo deletions in spinal muscular atrophy: implications for genetic counselling: *letter,* **86**
Genetic counselling: the psychological impact of meeting patients' expectations, **237**
Recurrence risk figures for isolated tetralogy of Fallot after screening for 22q11 microdeletion, **188**
genetic heterogeneity, Genetic heterogeneity of Meckel syndrome, **1003**
Genetic heterogeneity of primary open angle glaucoma and ocular hypertension: linkage to GLC1A associated with an increased risk of severe glaucomatous optic neuropathy, **546**

Linkage studies in dominant optic atrophy, Kjer type: possible evidence for heterogeneity, **967**
Genetic heterogeneity of autosomal dominant polycystic kidney disease in Argentina, **827**
genetic homogeneity, Pendred syndrome: evidence for genetic homogeneity and further refinement of linkage, **126**
genetic linkage, Genetic linkage study of familial Mediterranean fever (FMF) to 16p13.3 and evidence for genetic heterogeneity in the Turkish population, **573**
genetic mapping, Haemochromatosis: a gene at last?: *commentary,* **148**
genetic nurse specialist practice, The role and practice of the genetic nurse: report of the AGNC Working Party, **141**
genetic refinement, Genetic refinement of dominant optic atrophy (OPA1) locus to within a 2 cM interval of chromosome 3q, **117**
genetic testing, What do we mean by genetic testing?, **749**
genetics, BRCA1 and BRCA2 mutation analysis in 86 early onset breast/ovarian cancer patients, **990**
genotype, A simplified assay for the arylamine N-acetyltransferase 2 polymorphism validated by phenotyping with isoniazid, **758**
genotype-phenotype correlation, Genotype-phenotype relationship in 12 patients carrying cystic fibrosis mutation R334W, **89**
genotypic diagnosis, Genotypic diagnosis of familial Mediterranean fever (FMF) using new microsatellite markers: example of two extensive non-Ashkenazi Jewish pedigrees, **375**
genu varum, Progressive pseudorheumatoid dysplasia: report of a family and review, **559**
germline mutations, Low frequency of BRCA1 germline mutations in 45 German breast/ovarian cancer families, **884**
Gilbert syndrome, Molecular analysis of patients of Sardinian descent with Crigler-Najjar syndrome type I, **122**
glomerulonephritis, Alport's syndrome: *syndrome of the month,* **326**
glucocerebrosidase, Gaucher disease plus: *letter,* **876**
glucocerebrosidase alleles, Gaucher disease: molecular screening of the glucocerebrosidase 1601G and 1601A alleles in Victoria, British Columbia, Canada, **83**
glycogen myophosphorylase gene, Homozygosity by descent for a rare mutation in the myophosphorylase gene is associated with variable phenotypes in a Druze family with McArdle disease, **391**
glycogen storage disease type III, Polymorphic markers of the glycogen debranching enzyme gene allowing linkage analysis in families with glycogen storage disease type III, **34**
glypican 3, Large scale deletions in the GPC3 gene may account for a minority of cases of Simpson-Golabi-Behmel syndrome, **480**
Grebe syndrome, Grebe syndrome: a second case with extremely severe manifestations: *letter,* **1038**
group specific component (Gc), Molecular analysis of the human vitamin D binding protein (group specific component, Gc) in tuberous sclerosis complex (TSC), **509**
growth disorder, No evidence for uniparental disomy as a common cause of Sotos syndrome, **10**
growth retardation, Interstitial duplication of the short arm of chromosome 2: report of a new case and review, **783**
Gsα, Normal erythrocyte membrane Gsα bioactivity in two unrelated patients with acrodysostosis, **133**

H19, Epigenetic modification and uniparental inheritance of H19 in Beckwith-Wiedemann syndrome, **353**
haemochromatosis, Global prevalence of putative haemochromatosis mutations, **275**
Haemochromatosis: a gene at last?: *commentary,* **148**
Recombinations defining centromeric and telomeric borders for the hereditary haemochromatosis locus, **28**
hamartomatous polyps, Peutz-Jeghers syndrome: *syndrome of the month,* **1007**
haplotype, Homozygosity by descent for a rare mutation in the myophosphorylase gene is associated with variable phenotypes in a Druze family with McArdle disease, **391**
Hardy-Weinberg equilibrium, Molecular analysis of the human vitamin D binding protein (group specific component, Gc) in tuberous sclerosis complex (TSC), **509**
hereditary cancer syndromes, Psychological distress in applicants for predictive DNA testing for autosomal dominant, heritable, late onset disorders, **382**
hereditary disease, Evaluation of a project to enhance knowledge of hereditary diseases and management, **831**
hereditary haemochromatosis, 46,XX, inv(6)(p21.1p23) in a pedigree with hereditary haemochromatosis, **24**
Homozygosity for the predominant Cys282Tyr mutation and absence of disease expression in hereditary haemochromatosis, **761**
hereditary neurodegenerative disorders, Psychological distress in applicants for predictive DNA testing for autosomal dominant, heritable, late onset disorders, **382**
hereditary neuropathy with liability to pressure palsies (HNPP), Atypical hereditary neuropathy with liability to pressure palsies (HNPP): the value of direct DNA diagnosis, **889**
heterogeneity, The genetics of primary nocturnal enuresis: inheritance and suggestion of a second major gene on chromosome 12q, **360**
Hirschsprung's disease, Hydrocephalus and Hirschsprung's disease in a patient with a mutation of L1CAM, **670**
HLA, Homozygosity for the predominant Cys282Tyr mutation and absence of disease expression in hereditary haemochromatosis, **761**
HLA typing, Fortuitous detection of uniparental isodisomy of chromosome 6, **77**
HLA-H, Global prevalence of putative haemochromatosis mutations, **275**
HMSN1A, Atypical hereditary neuropathy with liability to pressure palsies (HNPP): the value of direct DNA diagnosis, **889**
HNPCC, Germline HNPCC gene variants have little influence on the risk for sporadic colorectal cancer, **39**
HNPP, Detection of the CMT1A/HNPP recombination hotspot in unrelated patients of European descent, **43**
holoprosencephaly, Cebocephaly, alobar holoprosencephaly, spina bifida, and sirenomelia in a stillbirth, **252**
Different proximal and distal rearrangements of chromosome 7q associated with holoprosencephaly, **899**
Holt-Oram syndrome, Muscular involvement in the Holt-Oram syndrome, **978**
homocysteine, Methylenetetrahydrofolate reductase polymorphism and pre-eclampsia, **525**
HOXB-8, Mirror hands and feet: *letter,* **701**
HSAS syndrome, Hydrocephalus and Hirschsprung's disease in a patient with a mutation of L1CAM, **670**
human chromosome 14, Prenatal diagnosis of de novo proximal interstitial deletion of 14q associated with cebocephaly, **777**
human chromosome 6 inversion, 46,XX, inv(6)(p21.1p23) in a pedigree with hereditary haemochromatosis, **24**
human glycogen debranching enzyme, Polymorphic markers of the glycogen debranching enzyme gene allowing linkage analysis in families with glycogen storage disease type III, **34**
Huntington's disease, Analysis of the 5' upstream sequence of the Huntington's disease (HD) gene shows six new rare alleles which are unrelated to the age at onset of HD, **371**
Intelligence indices in people with a high/low risk for developing Huntington's disease, **564**
Juvenile onset Huntington's disease in an Omani child with asymptomatic, at risk parents: *letter,* **701**
hydrocephalus, Fried syndrome is a distinct X linked mental retardation syndrome mapping to Xp22, **535**
hypertrypsinaemia, CFTR mutations and IVS8-5T variant in newborns with hypertrypsinaemia and normal sweat test, **297**
hypogonadism, A syndrome including thumb malformations, microcephaly, short stature, and hypogonadism, **813**
Two sibs with chorioretinal dystrophy, hypogonadotrophic hypogonadism, and cerebellar ataxia: Boucher-Neuhäuser syndrome, **767**
hypomelanosis of Ito, Functional Xp disomy and de novo t(X;13)(q10;q10) in a girl with hypomelanosis of Ito, **161**
hypothalamic hamartoma, Linkage mapping and phenotypic analysis of autosomal dominant Pallister-Hall syndrome, **441**
hypotonia, Arch fingerprints, hypotonia, and areflexia associated with X linked mental retardation, **465**

idiopathic mental retardation, Cryptic terminal rearrangement of chromosome 22q13.32 detected by FISH in two unrelated patients, **640**
immunodeficiency, A variant of the Nijmegen breakage syndrome with unusual cytogenetic features and intermediate cellular radiosensitivity, **196**
Identification of novel Bruton's tyrosine kinase mutations in 10 unrelated subjects with X linked agammaglobulinaemia, **484**
imprinting, Clinical features in four patients with Angelman syndrome resulting from paternal uniparental disomy, **426**
No evidence for uniparental disomy as a common cause of Sotos syndrome, **10**
Prader-Willi syndrome: *syndrome of the month,* **917**
imprintor mutation, Counselling dilemmas associated with the molecular characterisation of two Angelman syndrome families, **651**
in situ hybridisation, Inherited DNA amplification of the proximal 15q region: cytogenetic and molecular studies, **217**
Rapid identification of multiple supernumerary ring chromosomes with a new FISH technique, **912**
in vitro contracture test, Detection of a novel mutation in the ryanodine receptor gene in an Irish malignant hyperthermia pedigree: correlation of the IVCT response with the affected and unaffected haplotypes, **291**
inbreeding, Effects of consanguineous marriage on reproductive outcome in an Arab community in Israel, **1000**
infant weight, The effects of genotype and infant weight on adult plasma levels of fibrinogen, factor VII, and LDL cholesterol are additive, **553**
inheritance, The genetics of primary nocturnal enuresis: inheritance and suggestion of a second major gene on chromosome 12q, **360**
inherited DNA amplification, Inherited DNA amplification of the proximal 15q region: cytogenetic and molecular studies, **217**
insertion, The 12 base pair duplication/insertion alteration could be a regulatory mutation, **592**

insertions, Four frameshift mutations in neurofibromatosis type 1 caused by small insertions, **579**
instability, Instability of normal $(CTG)_n$ alleles in the DM kinase gene, **871**
intellectual disability, Clinical features in four patients with Angelman syndrome resulting from paternal uniparental disomy, **426**
intelligence, Intelligence and psychosocial adjustment in velocardiofacial syndrome: a study of 37 children and adolescents with VCFS, **453**
Intelligence indices in people with a high/low risk for developing Huntington's disease, **564**
Mild myotonic dystrophy is associated with memory impairment in the context of normal general intelligence, **229**
interstitial deletion, Interstitial deletion of band 3q25, **430**
Interstitial deletion of bands 4q12→q13.1: case report and review of proximal 4q deletions, **862**
interstitial deletion (4)(q25→q27), Multiple congenital anomalies including the Rieger eye malformation in a boy with interstitial deletion of (4)(q25→q27) secondary to a balanced insertion in his normal father: evidence for haplotype insufficiency causing the Rieger malformation, **1012**
intractable epilepsy, Dentato-olivary dysplasia in sibs: an autosomal recessive disorder?, **1021**
intrauterine growth retardation, Maternal uniparental disomy 7 in Silver-Russell syndrome, **6**
inv(8)(q13.1q24.11), A 4 Mb cryptic deletion associated with ir"(8)(q13.1q24.11) in a patient with trichorhinophalangeal syndrome type I, **335**
iron metabolism, Homozygosity for the predominant Cys282Tyr mutation and absence of disease expression in hereditary haemochromatosis, **761**
isodisomy, Fortuitous detection of uniparental isodisomy of chromosome 6, **77**
isoniazid, A simplified assay for the arylamine N-acetyltransferase 2 polymorphism validated by phenotyping with isoniazid, **758**
IUGR, Karyotype 69,XXX/47,XX,+15 in a 2½ year old child, **246**
IVS8-5T variant, CFTR mutations and IVS8-5T variant in newborns with hypertrypsinaemia and normal sweat test, **297**

joint laxity, Further delineation of Nevo syndrome, **366**
Unusual traits associated with Robinow syndrome, **736**
jumping translocation, Trisomy 15 rescue with jumping translocation of distal 15q in Prader-Willi syndrome, **395**
juvenile onset, Juvenile onset Huntington's disease in an Omani child with asymptomatic, at risk parents: *letter,* **701**

kidney, Chromosome 22q11 deletion presenting as the Potter sequence, **423**
Klinefelter syndrome, A study of brothers with Klinefelter syndrome: *letter,* **702**

L1CAM, Hydrocephalus and Hirschsprung's disease in a patient with a mutation of L1CAM, **670**
laboratory diagnosis, The clinical and molecular genetic approach to Duchenne and Becker muscular dystrophy: an updated protocol, **805**
Lafora disease, Identification of a recombination event narrowing the Lafora disease gene region, **590**
lateralisation, Complete situs inversus and broad thumbs and big toes with postaxial polydactyly, **1033**
Laurin-Sandrow syndrome, Mirror hands and feet: *letter,* **701**
LDL receptor, Identification of a common low density lipoprotein receptor mutation (R329X) in the south of England: complete linkage disequilibrium with an allele of microsatellite D19S394, **111**
lentigines, Multiple lentigines syndrome (LEOPARD syndrome or progressive cardiomyopathic lentiginosis): *syndrome of the month,* **582**
Lenz microphthalmia syndrome, A case of Lenz microphthalmia syndrome, **604**
LGMD2D, Mutational diversity and hot spots in the α-sarcoglycan gene in autosomal recessive muscular dystrophy (LGMD2D), **470**
α-L-iduronidase Mucopolysaccharidosis type I: identification of novel mutations that cause Hurler/Scheie syndrome in Chinese families, **939**
limb-girdle muscular dystrophy, Limb-girdle muscular dystrophy or spinal muscular atrophy: a source of diagnostic confusion?: *letter,* **958**
linkage, Arch fingerprints, hypotonia, and areflexia associated with X linked mental retardation, **465**
Bardet-Biedl syndrome: a molecular and phenotypic study of 18 families, **92**
Genetic heterogeneity of primary open angle glaucoma and ocular hypertension: linkage to GLC1A associated with an increased risk of severe glaucomatous optic neuropathy, **546**
Genetic refinement of dominant optic atrophy (OPA1) locus to within a 2 cM interval of chromosome 3q, **117**
Linkage mapping of a large Colombian family segregating for X linked retinoschisis: refinement of the chromosomal location, **504**
Refinement of the laminin α2 chain locus to human chromosome 6q2 in severe and mild merosin deficient congenital muscular dystrophy, **99**
linkage analysis, An ancestral core haplotype defines the critical region harbouring the North Carolina macular dystrophy gene (MCDR1), **961**
Genetic heterogeneity of autosomal dominant polycystic kidney disease in Argentina, **827**
Genetic linkage analysis of 14 candidate gene loci in a family with autosomal dominant osteoarthritis without dysplasia, **1024**
Linkage studies in dominant optic atrophy, Kjer type: possible evidence for heterogeneity, **967**
Misleading linkage results in an NF2 presymptomatic test owing to mosaicism, **934**
Polymorphic markers of the glycogen debranching enzyme gene allowing linkage analysis in families with glycogen storage disease type III, **34**
The genetics of primary nocturnal enuresis: inheritance and suggestion of a second major gene on chromosome 12q, **360**
linkage mapping, Genetic heterogeneity in Schwartz-Jampel syndrome: two families with neonatal Schwartz-Jampel syndrome do not map to human chromosome 1p34-p36.1, **685**
Linkage mapping and phenotypic analysis of autosomal dominant Pallister-Hall syndrome, **441**
lipoprotein lipase, Assessment of French patients with LPL deficiency for French Canadian mutations, **672**
lissencephaly, Dominant X linked subcortical laminar heterotopia and lissencephaly syndrome (XSCLH/LIS): evidence for the occurrence of mutation in males and mapping of a potential locus in Xq22, **177**
loss of heterozygosity, Localisation of a gene causing endocrine neoplasia to a 4 cM region on chromosome 1p35-p36, **617**
"Cutis tricolor": congenital hyper- and hypopigmented macules associated with a sporadic multisystem birth defect: an unusual example of twin spotting?, **676**
loss of mutation, Prenatal diagnosis of the fragile X syndrome: loss of mutation owing to a double recombinant or gene conversion event at the FMR1 locus, **924**
lymphoedema, Parent-child transmission of infantile cholestasis with lymphoedema (Aagenaes syndrome), **852**
lysosomal storage disease, Metachromatic leucodystrophy in three families from Nova Scotia, Canada: a recurring mutation in the arylsulphatase A gene, **493**

Machado-Joseph disease, Non-Mendelian transmission at the Machado-Joseph disease locus in normal females: preferential transmission of alleles with smaller CAG repeats, **234**
macrocephaly, Macrocephaly, epilepsy, autism, dysmorphic features, and mental retardation in two sisters: a new autosomal recessive syndrome?, **849**
magnetic resonance imaging, Muscular involvement in the Holt-Oram syndrome, **978**
major histocompatibility complex, 46,XX, inv(6)(p21.1p23) in a pedigree with hereditary haemochromatosis, **24**
malignant hyperthermia, Detection of a novel mutation in the ryanodine receptor gene in an Irish malignant hyperthermia pedigree: correlation of the IVCT response with the affected and unaffected haplotypes, **291**
manifesting heterozygotes, Associated malformations in the family of a patient with Meckel syndrome: heterozygous expression?, **937**
Marfan syndrome, Marfan syndrome: *letter,* **614**
Marshall-Smith syndrome, Marshall-Smith syndrome: the expanding phenotype, **842**
maternal circulation, A new cytofluorometric approach to detect fetal cells in the maternal circulation: *letter,* **789**
maternal diabetes, Further evidence for preaxial hallucal polydactyly as a marker of diabetic embryopathy, **261**
maternal uniparental disomy, Maternal uniparental disomy 7 in Silver-Russell syndrome, **6**
matrilineal aminoglycoside ototoxicity, Mutation in the mitochondrial 12S rRNA gene in two families from Mongolia with matrilineal aminoglycoside ototoxicity, **169**
McArdle disease, Homozygosity by descent for a rare mutation in the myophosphorylase gene is associated with variable phenotypes in a Druze family with McArdle disease, **391**
Meckel syndrome, Associated malformations in the family of a patient with Meckel syndrome: heterozygous expression?, **937**
Genetic heterogeneity of Meckel syndrome, **1003**
median cleft lip, Median cleft of upper lip and pedunculated skin masses associated with de novo reciprocal translocation 46,X,t(X;16)(q28;q11.2), **952**
Mediterranean anaemia, Persistence of Mediterranean anaemia in Sicily, **869**
meiotic instability, Meiotic instability associated with the CAGR1 trinucleotide repeat at 13q13, **411**
memory and executive function, Mild myotonic dystrophy is associated with memory impairment in the context of normal general intelligence, **229**
Menkes disease, Abnormalities of copper accumulation in cell lines established from nine different alleles of mottled are the same as those found in Menkes disease, **729**

Menkes disease: recent advances and new aspects: *review*, **265**
mental handicap, Dominantly inherited cerebral dysplasia: arachnoid cyst associated with mild mental handicap in a mother and her son, **1018**
mental retardation, A 4 Mb cryptic deletion associated with inv(8)(q13.1q24.11) in a patient with trichorhinophalangeal syndrome type I, **335**
A novel case of unilateral blepharophimosis syndrome and mental retardation associated with de novo trisomy for chromosome 3q, **772**
Interstitial duplication of the short arm of chromosome 2: report of a new case and review, **783**
Macrocephaly, epilepsy, autism, dysmorphic features, and mental retardation in two sisters: a new autosomal recessive syndrome?, **849**
Molecular-cytogenetic detection of a deletion of 1p36.3, **314**
merosin, Refinement of the laminin α2 chain locus to human chromosome 6q2 in severe and mild merosin deficient congenital muscular dystrophy, **99**
metacarpophalangeal pattern profile (MCPP), Metacarpophalangeal pattern (MCPP) profile analysis in a family with triphalangeal thumb, **55**
metachromatic leucodystrophy, Metachromatic leucodystrophy in three families from Nova Scotia, Canada: a recurring mutation in the arylsulphatase A gene, **493**
methionine synthase, Methionine synthase and neural tube defects: *letter*, **958**
methylation, Inherited DNA amplification of the proximal 15q region: cytogenetic and molecular studies, **217**
methylenetetrahydrofolate reductase, Methylenetetrahydrofolate reductase polymorphism and pre-eclampsia, **525**
microcephaly, A syndrome including thumb malformations, microcephaly, short stature, and hypogonadism, **813**
microphthalmia, A case of Lenz microphthalmia syndrome, **604**
Conotruncal heart defect/microphthalmia syndrome: delineation of an autosomal recessive syndrome, **927**
microsatellite markers, Genotypic diagnosis of familial Mediterranean fever (FMF) using new microsatellite markers: example of two extensive non-Ashkenazi Jewish pedigrees, **375**
microsatellites, The elusive Angelman syndrome critical region, **714**
mild hyperphenylalaninaemia, Molecular basis of mild hyperphenylalaninaemia in Poland, **1035**
mild phenotype, De Lange syndrome: subjective and objective comparison of the classical and mild phenotypes, **645**
mirror hands and feet, Mirror hands and feet: *letter*, **701**
misleading result, Misleading linkage results in an NF2 presymptomatic test owing to mosaicism, **934**
mitochondria, A maternally transmitted lethal neonatal progeroid syndrome with prominent genitourinary and gastrointestinal features, **520**
Familial streptomycin ototoxicity in a South African family: a mitochondrial disorder, **904**
mitochondrial 12S rRNA gene, Mutation in the mitochondrial 12S rRNA gene in two families from Mongolia with matrilineal aminoglycoside ototoxicity, **169**
mitochondrial DNA, The mitochondrial A3243G mutation presenting as severe cardiomyopathy, **607**
molecular diagnosis, Improved molecular diagnosis of facioscapulohumeral muscular dystrophy(FSHD): validation of the differential double digestion for FSHD, **476**
molecular genetics, Pure hereditary spastic paraplegia: *syndrome of the month*, **499**
molecular mechanisms, Ehlers-Danlos syndrome has varied molecular mechanisms: *syndrome of the month*, **400**
Mongolia, Mutation in the mitochondrial 12S rRNA gene in two families from Mongolia with matrilineal aminoglycoside ototoxicity, **169**
monozygotic twins, Monozygotic twins discordant for Aicardi syndrome, **688**
mosaicism, A case of apparent trisomy 21 without the Down's syndrome phenotype, **597**
Evidence for a cryptic 46,XX cell line in a 45,X/46,X,psu idic(Xq) patient with normal reproduction, **1030**
Germline and somatic mosaicism in a female carrier of Hunter disease, **137**
Misleading linkage results in an NF2 presymptomatic test owing to mosaicism, **934**
Mosaicism for trisomy 3q arising from an unbalanced, de novo t(3;15), **512**
"Cutis tricolor": congenital hyper- and hypopigmented macules associated with a sporadic multisystem birth defect: an unusual example of twin spotting?, **676**
Rapid identification of multiple supernumerary ring chromosomes with a new FISH technique, **912**
mottled, Abnormalities of copper accumulation in cell lines established from nine different alleles of mottled are the same as those found in Menkes disease, **729**
mucopolysaccharidosis type I, Mucopolysaccharidosis type I: identification of novel mutations that cause Hurler/Scheie syndrome in Chinese families, **939**
mucopolysaccharidosis type II, Germline and somatic mosaicism in a female carrier of Hunter disease, **137**
multicolour FISH, Familial four breakpoint complex chromosomal rearrangement as a cause of monosomy 9p22→pter and trisomy 10p11.2→pter and 11q21 analysed by dual and triple colour FISH, **696**
multiple congenital malformation, A report of a child with a deletion (9)(q34.3): a recognisable phenotype?, **610**
multiple ring chromosomes, Rapid identification of multiple supernumerary ring chromosomes with a new FISH technique, **912**
multiple vertebral segmentation defects, Chromosome 18q22.2→qter deletion and a congenital anomaly syndrome with multiple vertebral segmentation defects, **414**
multi-professional team, The role and practice of the genetic nurse: report of the AGNC Working Party, **141**
muscle hypoplasia, Muscular involvement in the Holt-Oram syndrome, **978**
muscular dystrophy, Mutational diversity and hot spots in the α-sarcoglycan gene in autosomal recessive muscular dystrophy (LGMD2D), **470**
mutation, Four frameshift mutations in neurofibromatosis type 1 caused by small insertions, **579**
Germline and somatic mosaicism in a female carrier of Hunter disease, **137**
Mutation in the 3' region of the α-1-antitrypsin gene and chronic obstructive pulmonary disease, **874**
The clinical and molecular genetic approach to Duchenne and Becker muscular dystrophy: an updated protocol, **805**
The incidence of PAX6 mutation in patients with simple aniridia: an evaluation of mutation detection in 12 cases, **279**
mutation analysis, Molecular analysis of patients of Sardinian descent with Crigler-Najjar syndrome type I, **122**
RDS/peripherin gene mutations are frequent causes of central retinal dystrophies, **620**
mutation detection, Characterisation of CAH alleles with non-radioactive DNA single strand conformation polymorphism analysis of the CYP21 gene, **223**
Mutation and haplotype analysis of phenylalanine hydroxylase alleles in classical PKU patients from the Czech Republic: identification of four novel mutations, **893**
mutations, Fucosidosis: genetic and biochemical analysis of eight cases, **105**
myotonic dystrophy, Instability of normal $(CTG)_n$ alleles in the DM kinase gene, **871**
Mild myotonic dystrophy is associated with memory impairment in the context of normal general intelligence, **229**
Paternal transmission of congenital myotonic dystrophy, **930**
Segregation distortion of the CTG repeats at the myotonic dystrophy (DM) locus: new data from Brazilian DM families: *letter*, **790**

Nasu-Hakola syndrome, Nasu-Hakola syndrome: polycystic lipomembranous osteodysplasia with sclerosing leucoencephalopathy and presenile dementia: *syndrome of the month*, **753**
NCL, Rapid detection of the major deletion in the Batten disease gene CLN3 by allele specific PCR, **955**
NCMD, An ancestral core haplotype defines the critical region harbouring the North Carolina macular dystrophy gene (MCDR1), **961**
nemaline myopathy, Nemaline myopathy: current concepts: *review*, **705**
neonatal death, Tuberous sclerosis complex: neonatal deaths in three of four children of consanguineous, non-expressing parents, **256**
neonatal progeroid syndrome, Wiedemann-Rautenstrauch neonatal progeroid syndrome: report of three new patients, **433**
neural tube defects, Methionine synthase and neural tube defects: *letter*, **958**
neuroblastoma, Germline duplication of chromosome 2p and neuroblastoma, **949**
neurofibromatosis, Hereditary spinal neurofibromatosis: a rare form of NF1?, **184**
neurofibromatosis 1, Four frameshift mutations in neurofibromatosis type 1 caused by small insertions, **579**
neuronal ceroid lipofuscinosis, Rapid detection of the major deletion in the Batten disease gene CLN3 by allele specific PCR, **955**
neuropsychology, Intelligence indices in people with a high/low risk for developing Huntington's disease, **564**
new overgrowth syndrome, Translocations involving 4p16.3 in three families: deletion causing the Pitt-Rogers-Danks syndrome and duplication resulting in a new overgrowth syndrome, **719**
NF, Hereditary spinal neurofibromatosis: a rare form of NF1?, **184**
NF2, Misleading linkage results in an NF2 presymptomatic test owing to mosaicism, **934**
Uptake of genetic testing for cancer predisposition, **746**
Nijmegen breakage syndrome, A variant of the Nijmegen breakage syndrome with unusual cytogenetic features and intermediate cellular radiosensitivity, **196**
N-myc, Germline duplication of chromosome 2p and neuroblastoma, **949**

non-fluorescent Y chromosome, Characterisation of a satellited non-fluorescent Y chromosome (Y^{nfqs}) by FISH, **817**
non-specific mental retardation, A new X linked recessive syndrome of mental retardation and mild dysmorphism maps to Xq28, **529**
normal alleles, Instability of normal $(CTG)_n$ alleles in the DM kinase gene, **871**
north European/Celtic populations, Global prevalence of putative haemochromatosis mutations, **275**
novel mutation, Detection of a novel mutation in the ryanodine receptor gene in an Irish malignant hyperthermia pedigree: correlation of the IVCT response with the affected and unaffected haplotypes, **291**
novel mutations, Mucopolysaccharidosis type I: identification of novel mutations that cause Hurler/Scheie syndrome in Chinese families, **939**
nt 1311 C/T polymorphism, Frequency of the G6PD nt 1311 C/T polymorphism in English and Iranian populations: relevance to studies of X chromosome inactivation, **1028**

OCA2, Oculocutaneous albinism in an isolated Tonga community in Zimbabwe, **733**
ocular hypertension, Genetic heterogeneity of primary open angle glaucoma and ocular hypertension: linkage to GLC1A associated with an increased risk of severe glaucomatous optic neuropathy, **546**
oligozoospermia, Clustering of Y chromosome deletions in subinterval E of interval 6 supports the existence of an oligozoospermia critical region outside the DAZ gene, **881**
Omani Arab, Juvenile onset Huntington's disease in an Omani child with asymptomatic, at risk parents: *letter,* **701**
open angle glaucoma, Genetic heterogeneity of primary open angle glaucoma and ocular hypertension: linkage to GLC1A associated with an increased risk of severe glaucomatous optic neuropathy, **546**
optic atrophy, Wolfram (DIDMOAD) syndrome: *syndrome of the month,* **838**
optic nerve coloboma-renal disease, Localisation of a 10q breakpoint within the PAX2 gene in a patient with a de novo t(10;13) translocation and optic nerve coloboma-renal disease, **213**
ototoxicity, Familial streptomycin ototoxicity in a South African family: a mitochondrial disorder, **904**
overgrowth, Further delineation of Nevo syndrome, **366**
overgrowth disorder, Large scale deletions in the GPC3 gene may account for a minority of cases of Simpson-Golabi-Behmel syndrome, **480**

PACs, Rieger syndrome locus: a new reciprocal translocation t(4;12)(q25;q15) and a deletion del(4)(q25q27) both break between markers D4S2945 and D4S193, **191**
PAH gene, Molecular basis of mild hyperphenylalaninaemia in Poland, **1035**
Pai syndrome, Median cleft of upper lip and pedunculated skin masses associated with de novo reciprocal translocation 46,X,t(X;16)(q28;q11.2), **952**
parental consanguinity, Effects of consanguineous marriage on reproductive outcome in an Arab community in Israel, **1000**
parents' responses, Parents' responses to predictive genetic testing in their children: *letter,* **174**
partial duplication 2p, Interstitial duplication of the short arm of chromosome 2: report of a new case and review, **783**
partial monosomy 9q, A report of a child with a deletion (9)(q34.3): a recognisable phenotype?, **610**
partial trisomy, Down syndrome: characterisation of a case with partial trisomy of chromosome 21 owing to a paternal balanced translocation (15;21)(q26;q22.1) by FISH, **50**
Trisomy 15 rescue with jumping translocation of distal 15q in Prader-Willi syndrome, **395**
partial trisomy 1q32-qter, Detection of a de novo duplication of 1q32-qter by fluorescence in situ hybridisation in a boy with multiple malformations: further delineation of the trisomy 1q syndrome, **309**
patent ductus arteriosus, Neurogenic chronic idiopathic intestinal pseudo-obstruction, patent ductus arteriosus, and thrombocytopenia segregating as an X linked recessive disorder, **666**
paternal transmission, Paternal transmission of congenital myotonic dystrophy, **930**
paternal uniparental disomy, Paternal uniparental disomy for chromosome 6 causes transient neonatal diabetes, **167**
patient anxiety, Genetic counselling: the psychological impact of meeting patients' expectations, **237**
patient expectations, Genetic counselling: the psychological impact of meeting patients' expectations, **237**
pattern recognition, Metacarpophalangeal pattern (MCPP) profile analysis in a family with triphalangeal thumb, **55**
PAX2, Localisation of a 10q breakpoint within the PAX2 gene in a patient with a de novo t(10;13) translocation and optic nerve coloboma-renal disease, **213**
PAX3, The incidence of deafness is non-randomly distributed among families segregating for Waardenburg syndrome type 1 (WS1), **447**
PAX6, The incidence of PAX6 mutation in patients with simple aniridia: an evaluation of mutation detection in 12 cases, **279**
PCR, Clustering of Y chromosome deletions in subinterval E of interval 6 supports the existence of an oligozoospermia critical region outside the DAZ gene, **881**
pedunculated skin mass, Median cleft of upper lip and pedunculated skin masses associated with de novo reciprocal translocation 46,X,t(X;16)(q28;q11.2), **952**
Pendred syndrome, Pendred syndrome: evidence for genetic homogeneity and further refinement of linkage, **126**
Peutz-Jeghers syndrome, Peutz-Jeghers syndrome: *syndrome of the month,* **1007**
phenotype, Bardet-Biedl syndrome: a molecular and phenotypic study of 18 families, **92**
phenotype-genotype correlation, Genotype-phenotype correlation in five cystic fibrosis patients homozygous for the 621+1G→T mutation: *letter,* **788**
phenylketonuria, Molecular basis of mild hyperphenylalaninaemia in Poland, **1035**
Mutation and haplotype analysis of phenylalanine hydroxylase alleles in classical PKU patients from the Czech Republic: identification of four novel mutations, **893**
phosphoserine phosphatase, Phosphoserine phosphatase deficiency in a patient with Williams syndrome, **594**
Pick disease, Preparing for presymptomatic DNA testing for early onset Alzheimer's disease/cerebral haemorrhage and hereditary Pick disease, **63**
piebald trait, Interstitial deletion, del(4)(q12q21.1), owing to de novo unbalanced translocation in a 2 year old girl: further evidence that the piebald trait maps to proximal 4q12, **692**
piebaldism, Interstitial deletion of bands 4q12→q13.1: case report and review of proximal 4q deletions, **862**
Pierre-Robin sequence, Lethal femoral-facial syndrome: a case with unusual manifestations, **518**
pigmentary naevi, "Cutis tricolor": congenital hyper- and hypopigmented macules associated with a sporadic multisystem birth defect: an unusual example of twin spotting?, **676**
pigmentation, Peutz-Jeghers syndrome: *syndrome of the month,* **1007**
Pitt-Rogers-Danks syndrome, Pitt-Rogers-Danks syndrome and Wolf-Hirschhorn syndrome are caused by a deletion in the same region on chromosome 4p16.3, **569**
Translocations involving 4p16.3 in three families: deletion causing the Pitt-Rogers-Danks syndrome and duplication resulting in a new overgrowth syndrome, **719**
PKD1, A family with a milder form of adult dominant polycystic kidney disease not linked to the PKD1 (16p) or PKD2 (4q) genes, **587**
PKD2, A family with a milder form of adult dominant polycystic kidney disease not linked to the PKD1 (16p) or PKD2 (4q) genes, **587**
plagiocephaly, A novel mutation (a886g) in exon 5 of FGFR2 in members of a family with Crouzon phenotype and plagiocephaly, **420**
platyspondyly, Progressive pseudorheumatoid dysplasia: report of a family and review, **559**
PMP-22, Atypical hereditary neuropathy with liability to pressure palsies (HNPP): the value of direct DNA diagnosis, **889**
polycystic kidney disease, A family with a milder form of adult dominant polycystic kidney disease not linked to the PKD1 (16p) or PKD2 (4q) genes, **587**
Genetic heterogeneity of autosomal dominant polycystic kidney disease in Argentina, **827**
polycystic lipomembranous osteodysplasia, Nasu-Hakola syndrome: polycystic lipomembranous osteodysplasia with sclerosing leucoencephalopathy and presenile dementia: *syndrome of the month,* **753**
polydactyly, Complete situs inversus and broad thumbs and big toes with postaxial polydactyly, **1033**
Linkage mapping and phenotypic analysis of autosomal dominant Pallister-Hall syndrome, **441**
polymorphism, Gaucher disease: molecular screening of the glucocerebrosidase 1601G and 1601A alleles in Victoria, British Columbia, Canada, **83**
Methylenetetrahydrofolate reductase polymorphism and pre-eclampsia, **525**
Polymorphic markers of the glycogen debranching enzyme gene allowing linkage analysis in families with glycogen storage disease type III, **34**
polymorphisms, Analysis of the 5' upstream sequence of the Huntington's disease (HD) gene shows six new rare alleles which are unrelated to the age at onset of HD, **371**
population genetics, Mutation and haplotype analysis of phenylalanine hydroxylase alleles in classical PKU patients from the Czech Republic: identification of four novel mutations, **893**
Potter sequence, Chromosome 22q11 deletion presenting as the Potter sequence, **423**
Prader-Willi syndrome, Counselling dilemmas associated with the molecular characterisation of two Angelman syndrome families, **651**
Prader-Willi syndrome in a child with mosaic trisomy 15 and mosaic triplo-X: a molecular analysis, **318**

Prader-Willi syndrome: *syndrome of the month*, **917**
Trisomy 15 rescue with jumping translocation of distal 15q in Prader-Willi syndrome, **395**
preaxial polydactyly, Further evidence for preaxial hallucal polydactyly as a marker of diabetic embryopathy, **261**
predictive DNA testing, Psychological distress in applicants for predictive DNA testing for autosomal dominant, heritable, late onset disorders, **382**
predictive genetic testing, Parents' responses to predictive genetic testing in their children: *letter*, **174**
pre-eclampsia, Methylenetetrahydrofolate reductase polymorphism and pre-eclampsia, **525**
prenatal diagnosis, Familial complex chromosome rearrangement ascertained by in situ hybridisation, **164**
Karyotype 69,XXX/47,XX,+15 in a 2½ year old child, **246**
Lethal femoral-facial syndrome: a case with unusual manifestations, **518**
Prenatal diagnosis of 22q11 deletions: a series of five cases with congenital heart defects, **679**
Rapid antibody test for prenatal diagnosis of fragile X syndrome on amniotic fluid cells: a new appraisal, **250**
presymptomatic testing, Preparing for presymptomatic DNA testing for early onset Alzheimer's disease/cerebral haemorrhage and hereditary Pick disease, **63**
pre-test psychological distress, Psychological distress in applicants for predictive DNA testing for autosomal dominant, heritable, late onset disorders, **382**
prevalence, Fragile X syndrome is less common than previously estimated, **1**
primary hyperoxaluria type 1, Primary hyperoxaluria type 1: a cluster of new mutations in exon 7 of the AGXT gene, **489**
primary nocturnal enuresis, The genetics of primary nocturnal enuresis: inheritance and suggestion of a second major gene on chromosome 12q, **360**
pro250arg mutation, Craniosynostosis associated with FGFR3 pro250arg mutation results in a range of clinical presentations including unisutural sporadic craniosynostosis, **632**
progeroid, A maternally transmitted lethal neonatal progeroid syndrome with prominent genitourinary and gastrointestinal features, **520**
promoter, Analysis of the 5' upstream sequence of the Huntington's disease (HD) gene shows six new rare alleles which are unrelated to the age at onset of HD, **371**
proximal 15q, Inherited DNA amplification of the proximal 15q region: cytogenetic and molecular studies, **217**
Prader-Willi syndrome: *syndrome of the month*, **917**
proximal renal tubular dysplasia, Congenital renal tubular dysplasia and skull ossification defects similar to teratogenic effects of angiotensin converting enzyme (ACE) inhibitors, **541**
proximal SMA, Proximal and distal spinal muscular atrophy in one family: molecular genetic studies provide further evidence for the non-allelic origin of both diseases, **340**
pseudo-obstruction, A maternally transmitted lethal neonatal progeroid syndrome with prominent genitourinary and gastrointestinal features, **520**
Neurogenic chronic idiopathic intestinal pseudo-obstruction, patent ductus arteriosus, and thrombocytopenia segregating as an X linked recessive disorder, **666**
pseudopseudohypoparathyroidism, Normal erythrocyte membrane Gsα bioactivity in two unrelated patients with acrodysostosis, **133**
pseudorheumatoid, Progressive pseudorheumatoid dysplasia: report of a family and review, **559**
psychosocial genetics, Report of the Fifth European Meeting on Psychosocial Aspects of Genetics: *conference report*, **346**
ptosis, A novel case of unilateral blepharophimosis syndrome and mental retardation associated with de novo trisomy for chromosome 3q, **772**
pulmonary stenosis, Multiple lentigines syndrome (LEOPARD syndrome or progressive cardiomyopathic lentiginosis): *syndrome of the month*, **582**
pure hereditary spastic paraplegia, Pure hereditary spastic paraplegia: *syndrome of the month*, **499**

R334W mutation, Genotype-phenotype relationship in 12 patients carrying cystic fibrosis mutation R334W, **89**
radial anomaly, Radial aplasia and chromosome 22q11 deletion, **942**
RDCI, RDCI, the vasoactive intestinal peptide receptor: a candidate gene for the features of Albright hereditary osteodystrophy associated with deletion of 2q37, **287**
RDS/peripherin, RDS/peripherin gene mutations are frequent causes of central retinal dystrophies, **620**
recessive inheritance, Congenital diaphragmatic hernia with probable autosomal recessive inheritance in an extended consanguineous Pakistani pedigree, **601**
reciprocal translocation, Different proximal and distal rearrangements of chromosome 7q associated with holoprosencephaly, **899**
Median cleft of upper lip and pedunculated skin masses associated with de novo reciprocal translocation 46,X,t(X;16)(q28;q11.2), **952**
recombination, Recombinations defining centromeric and telomeric borders for the hereditary haemochromatosis locus, **28**
The elusive Angelman syndrome critical region, **714**
recombination hotspot, Detection of the CMT1A/HNPP recombination hotspot in unrelated patients of European descent, **43**
recurrence risk, Recurrence risk figures for isolated tetralogy of Fallot after screening for 22q11 microdeletion, **188**
refinement of linkage, Pendred syndrome: evidence for genetic homogeneity and further refinement of linkage, **126**
renal tubular dysgenesis, Renal tubular dysgenesis with calvarial hypoplasia: report of two additional cases and review, **846**
renin-angiotensin system (RAS), Congenital renal tubular dysplasia and skull ossification defects similar to teratogenic effects of angiotensin converting enzyme (ACE) inhibitors, **541**
repeat expansion detection, Exclusion of CAG repeat expansion as the cause of disease in autosomal dominant retinitis pigmentosa families, **130**
reproductive outcome, Effects of consanguineous marriage on reproductive outcome in an Arab community in Israel, **1000**
retinal dystrophies, RDS/peripherin gene mutations are frequent causes of central retinal dystrophies, **620**
retinitis pigmentosa, Exclusion of CAG repeat expansion as the cause of disease in autosomal dominant retinitis pigmentosa families, **130**
retinoschisis, Linkage mapping of a large Colombian family segregating for X linked retinoschisis: refinement of the chromosomal location, **504**
reverse painting, Detection of a de novo duplication of 1q32-qter by fluorescence in situ hybridisation in a boy with multiple malformations: further delineation of the trisomy 1q syndrome, **309**
Rieger eye anomaly, Multiple congenital anomalies including the Rieger eye malformation in a boy with interstitial deletion of (4)(q25→q27) secondary to a balanced insertion in his normal father: evidence for haplotype insufficiency causing the Rieger malformation, **1012**
Rieger syndrome, Rieger syndrome locus: a new reciprocal translocation t(4;12)(q25;q15) and a deletion del(4)(q25q27) both break between markers D4S2945 and D4S193, **191**
Robinow syndrome, Unusual traits associated with Robinow syndrome, **736**
role of genetic nurse, The role and practice of the genetic nurse: report of the AGNC Working Party, **141**
Rubinstein-Taybi syndrome, Submicroscopic deletions at 16p13.3 in Rubinstein-Taybi syndrome: frequency and clinical manifestations in a North American population, **203**
ryanodine receptor, Detection of a novel mutation in the ryanodine receptor gene in an Irish malignant hyperthermia pedigree: correlation of the IVCT response with the affected and unaffected haplotypes, **291**

sacral agenesis, Isolated sacral agenesis in a fetus monosomic for 7q36.1→qter, **866**
Saethre-Chotzen syndrome, Phenotypic expression of the fibroblast growth factor receptor 3 (FGFR3) mutation P250R in a large craniosynostosis family, **683**
sarcoglycan complex, Genetic epidemiology of muscular dystrophies resulting from sarcoglycan gene mutations, **973**
α-sarcoglycan gene Mutational diversity and hot spots in the α-sarcoglycan gene in autosomal recessive muscular dystrophy (LGMD2D), **470**
satellited Y chromosome, Characterisation of a satellited non-fluorescent Y chromosome (Y^{nfsc}) by FISH, **817**
Saudi Arabia, Novel and characteristic CFTR mutations in Saudi Arab children with severe cystic fibrosis, **996**
Schwartz-Jampel, Genetic heterogeneity in Schwartz-Jampel syndrome: two families with neonatal Schwartz-Jampel syndrome do not map to human chromosome 1p34-p36.1, **685**
SCID, Spondylo-mesomelic-acrodysplasia with joint dislocations and severe combined immunodeficiency: a newly recognised immuno-osseous dysplasia, **854**
sclerosing leucoencephalopathy, Nasu-Hakola syndrome: polycystic lipomembranous osteodysplasia with sclerosing leucoencephalopathy and presenile dementia: *syndrome of the month*, **753**
screening in pregnancy, The uptake and acceptability to patients of cystic fibrosis carrier testing offered in pregnancy by the GP, **459**
segregation distortion, Non-Mendelian transmission at the Machado-Joseph disease locus in normal females: preferential transmission of alleles with smaller CAG repeats, **234**
sensitivity, Improved molecular diagnosis of facioscapulohumeral muscular dystrophy(FSHD): validation of the differential double digestion for FSHD, **476**
sensorineural deafness, A new locus for non-syndromal, autosomal recessive, sensorineural hearing loss (DFNB16) maps to human chromosome 15q21-q22, **1015**
severe developmental delay, Dentato-olivary dysplasia in sibs: an autosomal recessive disorder?, **1021**
severe manifestations, Grebe syndrome: a second case with extremely severe manifestations: *letter*, **1038**

short limbed dwarfism, Spondylo-mesomelic-acrodysplasia with joint dislocations and severe combined immunodeficiency: a newly recognised immuno-osseous dysplasia, **854**
Sicily, Persistence of Mediterranean anaemia in Sicily, **869**
Silver-Russell syndrome, Maternal uniparental disomy 7 in Silver-Russell syndrome, **6**
Simpson-Golabi-Behmel syndrome, Large scale deletions in the GPC3 gene may account for a minority of cases of Simpson-Golabi-Behmel syndrome, **480**
single strand conformation polymorphism, Characterisation of CAH alleles with non-radioactive DNA single strand conformation polymorphism analysis of the CYP21 gene, **223**
sirenomelia, Cebocephaly, alobar holoprosencephaly, spina bifida, and sirenomelia in a stillbirth, **252**
situs inversus, Complete situs inversus and broad thumbs and big toes with postaxial polydactyly, **1033**
social competence, Intelligence and psychosocial adjustment in velocardiofacial syndrome: a study of 37 children and adolescents with VCFS, **453**
Sonic Hedgehog gene, Different proximal and distal rearrangements of chromosome 7q associated with holoprosencephaly, **899**
spastic diplegia, Fried syndrome is a distinct X linked mental retardation syndrome mapping to Xp22, **535**
sperm typing, The effect of FMR1 CGG repeat interruptions on mutation frequency as measured by sperm typing, **627**
spina bifida, Cebocephaly, alobar holoprosencephaly, spina bifida, and sirenomelia in a stillbirth, **252**
Spinal muscular atrophy, De novo deletions in spinal muscular atrophy: implications for genetic counselling: *letter,* **86**
Limb-girdle muscular dystrophy or spinal muscular atrophy: a source of diagnostic confusion?: *letter,* **958**
Proximal and distal spinal muscular atrophy in one family: molecular genetic studies provide further evidence for the non-allelic origin of both diseases, **340**
SMN gene analysis of the spinal form of Charcot-Marie-Tooth disease, **507**
spinal neurofibroma, Hereditary spinal neurofibromatosis: a rare form of NF1?, **184**
spinocerebellar ataxia, Analysis of spinocerebellar ataxia types 1, 2, 3, and 6, dentatorubral-pallidoluysian atrophy, and Friedreich's ataxia genes in spinocerebellar ataxia patients in the UK, **982**
split hand/split foot (SHSF) deformity, The phenotypic effects of chromosome rearrangement involving bands 7q21.3 and 22q13.3, **857**
spondylo-acrodysplasia, Spondylo-mesomelic-acrodysplasia with joint dislocations and severe combined immunodeficiency: a newly recognised immuno-osseous dysplasia, **854**
SSCP, Primary hyperoxaluria type 1: a cluster of new mutations in exon 7 of the AGXT gene, **489**
steroid 21-hydroxylase, Characterisation of CAH alleles with non-radioactive DNA single strand conformation polymorphism analysis of the CYP21 gene, **223**
streptomycin, Familial streptomycin ototoxicity in a South African family: a mitochondrial disorder, **904**
subcortical laminar heterotopia, Dominant X linked subcortical laminar heterotopia and lissencephaly syndrome (XSCLH/LIS): evidence for the occurrence of mutation in males and mapping of a potential locus in Xq22, **177**
subtelomeric rearrangement, Molecular-cytogenetic detection of a deletion of 1p36.3, **314**
supernumerary marker chromosomes, Rapid identification of multiple supernumerary ring chromosomes with a new FISH technique, **912**
supravalvular aortic stenosis, Fluorescent in situ hybridisation (FISH) for hemizygous deletion at the elastin locus in patients with isolated supravalvular aortic stenosis, **306**
survival motor neurone gene, SMN gene analysis of the spinal form of Charcot-Marie-Tooth disease, **507**

t(10;13) translocation, Localisation of a 10q breakpoint within the PAX2 gene in a patient with a de novo t(10;13) translocation and optic nerve coloboma-renal disease, **213**
teeth, Developmental enamel defects in tuberous sclerosis: a clinical genetic marker?, **637**
terminal deletion, Delineation of 14q32.3 deletion syndrome, **515**
testis forming gene, Impaired male sex development in an infant with molecularly defined partial 9p monosomy: implication for a testis forming gene(s) on 9p, **331**
tetralogy of Fallot, Conotruncal heart defect/microphthalmia syndrome: delineation of an autosomal recessive syndrome, **927**
Recurrence risk figures for isolated tetralogy of Fallot after screening for 22q11 microdeletion, **188**
β thalassaemia, Persistence of Mediterranean anaemia in Sicily, **869**
The Gene Bomb, The Gene Bomb: *letter,* **876**
thenar hypoplasia, Muscular involvement in the Holt-Oram syndrome, **978**
thrombocytopenia, Neurogenic chronic idiopathic intestinal pseudo-obstruction, patent ductus arteriosus, and thrombocytopenia segregating as an X linked recessive disorder, **666**
thumb malformations, A syndrome including thumb malformations, microcephaly, short stature, and hypogonadism, **813**
transcervical cells, Prenatal detection of fetal aneuploidies using transcervical cell samples, **302**
transient neonatal diabetes, Paternal uniparental disomy for chromosome 6 causes transient neonatal diabetes, **167**
translocation, Physical localisation of the breakpoints of a constitutional translocation t(5;6)(q21;q21) in a child with bilateral Wilms' tumour, **343**
translocation t(4;12)(q25;q15), Rieger syndrome locus: a new reciprocal translocation t(4;12)(q25;q15) and a deletion del(4)(q25q27) both break between markers D4S2945 and D4S193, **191**
trichorhinophalangeal syndrome type I, A 4 Mb cryptic deletion associated with inv(8)(q13.1q24.11) in a patient with trichorhinophalangeal syndrome type I, **335**
trinucleotide repeat, Analysis of spinocerebellar ataxia types 1, 2, 3, and 6, dentatorubral-pallidoluysian atrophy, and Friedreich's ataxia genes in spinocerebellar ataxia patients in the UK, **982**
Meiotic instability associated with the CAGR1 trinucleotide repeat at 13q13, **411**
Mild myotonic dystrophy is associated with memory impairment in the context of normal general intelligence, **229**
trinucleotide repeats, Non-Mendelian transmission at the Machado-Joseph disease locus in normal females: preferential transmission of alleles with smaller CAG repeats, **234**
triphalangeal thumb (TPT), Metacarpophalangeal pattern (MCPP) profile analysis in a family with triphalangeal thumb, **55**
triplo-X, Prader-Willi syndrome in a child with mosaic trisomy 15 and mosaic triplo-X: a molecular analysis, **318**
trisomy 11q, At least nine cases of trisomy 11q23→qter in one generation as a result of familial t(11;13) translocation, **18**
trisomy 15, Prader-Willi syndrome in a child with mosaic trisomy 15 and mosaic triplo-X: a molecular analysis, **318**
trisomy 21, A case of apparent trisomy 21 without the Down's syndrome phenotype, **597**
trisomy 2p, Germline duplication of chromosome 2p and neuroblastoma, **949**
trisomy 3q, Mosaicism for trisomy 3q arising from an unbalanced, de novo t(3;15), **512**
tropomyosin, Nemaline myopathy: current concepts: *review,* **705**
truncus arteriosus, Conotruncal heart defect/microphthalmia syndrome: delineation of an autosomal recessive syndrome, **927**
tuberous sclerosis, Developmental enamel defects in tuberous sclerosis: a clinical genetic marker?, **637**
Tuberous sclerosis complex: neonatal deaths in three of four children of consanguineous, non-expressing parents, **256**
tuberous sclerosis complex (TSC), Molecular analysis of the human vitamin D binding protein (group specific component, Gc) in tuberous sclerosis complex (TSC), **509**
Turkish population, Genetic linkage study of familial Mediterranean fever (FMF) to 16p13.3 and evidence for genetic heterogeneity in the Turkish population, **573**
Turner syndrome, Evidence for a cryptic 46,XX cell line in a 45,X/46,X,psu idic(Xq) patient with normal reproduction, **1030**
twin spotting, "Cutis tricolor": congenital hyper- and hypopigmented macules associated with a sporadic multisystem birth defect: an unusual example of twin spotting?, **676**

UBE3A, The elusive Angelman syndrome critical region, **714**
unbalanced translocation, Interstitial deletion, del(4)(q12q21.1), owing to de novo unbalanced translocation in a 2 year old girl: further evidence that the piebald trait maps to proximal 4q12, **692**
uniparental disomy, Prader-Willi syndrome: *syndrome of the month,* **917**
Trisomy 15 rescue with jumping translocation of distal 15q in Prader-Willi syndrome, **395**
uniparental inheritance, Epigenetic modification and uniparental inheritance of H19 in Beckwith-Wiedemann syndrome, **353**
upper limb anomaly, Radial aplasia and chromosome 22q11 deletion, **942**

velocardiofacial syndrome, Anal anomalies: an uncommon feature of velocardiofacial (Shprintzen) syndrome?, **79**
Chromosome 22q11 deletion presenting as the Potter sequence, **423**
Intelligence and psychosocial adjustment in velocardiofacial syndrome: a study of 37 children and adolescents with VCFS, **453**
Radial aplasia and chromosome 22q11 deletion, **942**
Spectrum of clinical features associated with interstitial chromosome 22q11 deletions: a European collaborative study, **798**
vHL, Uptake of genetic testing for cancer predisposition, **746**

Waardenburg syndrome, The incidence of deafness is non-randomly distributed among families segregating for Waardenburg syndrome type 1 (WS1), **447**
Waardenburg syndrome: *syndrome of the month,* **656**
WAGR locus, A FISH approach to defining the extent and possible clinical significance of deletions at the WAGR locus, **207**
Weaver syndrome, Autosomal dominant inheritance of Weaver syndrome, **418**
Wiedemann-Rautenstrauch syndrome, Wiedemann-Rautenstrauch neonatal progeroid syndrome: report of three new patients, **433**

Williams syndrome, Phosphoserine phosphatase deficiency in a patient with Williams syndrome, **594**
Wilms' tumour, Physical localisation of the breakpoints of a constitutional translocation t(5;6)(q21;q21) in a child with bilateral Wilms' tumour, **343**
Wilson disease, Menkes disease: recent advances and new aspects: *review*, **265**
Wolf-Hirschhorn syndrome, Pitt-Rogers-Danks syndrome and Wolf-Hirschhorn syndrome are caused by a deletion in the same region on chromosome 4p16.3, **569**
Wolfram syndrome, Wolfram (DIDMOAD) syndrome: *syndrome of the month*, **838**
WS1, The incidence of deafness is non-randomly distributed among families segregating for Waardenburg syndrome type 1 (WS1), **447**

X;autosome translocation, Functional Xp disomy and de novo t(X;13)(q10;q10) in a girl with hypomelanosis of Ito, **161**
X chromosome, Neurogenic chronic idiopathic intestinal pseudo-obstruction, patent ductus arteriosus, and thrombocytopenia segregating as an X linked recessive disorder, **666**
X chromosome inactivation, Frequency of the G6PD nt 1311 C/T polymorphism in English and Iranian populations: relevance to studies of X chromosome inactivation, **1028**
X inactivation, De novo der(X)t(X;10)(q26;q21) with features of distal trisomy 10q: case report of paternal origin identified by late replication with BrdU and the human androgen receptor assay (HAR), **242**
X inheritance, Dominant X linked subcortical laminar heterotopia and lissencephaly syndrome (XSCLH/LIS): evidence for the occurrence of mutation in males and mapping of a potential locus in Xq22, **177**
X linked, Large scale deletions in the GPC3 gene may account for a minority of cases of Simpson-Golabi-Behmel syndrome, **480**
Linkage mapping of a large Colombian family segregating for X linked retinoschisis: refinement of the chromosomal location, **504**
X linked agammaglobulinaemia, Identification of novel Bruton's tyrosine kinase mutations in 10 unrelated subjects with X linked agammaglobulinaemia, **484**
X linked hydrocephalus, Hydrocephalus and Hirschsprung's disease in a patient with a mutation of L1CAM, **670**
X linked inheritance, Monozygotic twins discordant for Aicardi syndrome, **688**
X linked mental retardation, A new X linked recessive syndrome of mental retardation and mild dysmorphism maps to Xq28, **529**
Arch fingerprints, hypotonia, and areflexia associated with X linked mental retardation, **465**
Fried syndrome is a distinct X linked mental retardation syndrome mapping to Xp22, **535**
X linked non-specific mental retardation, Androgen insensitivity with mental retardation: a contiguous gene syndrome?, **158**
X linked retinitis pigmentosa, Severe manifestions in carrier females in X linked retinitis pigmentosa, **793**
Xq28, A new X linked recessive syndrome of mental retardation and mild dysmorphism maps to Xq28, **529**

Y chromosome, Clustering of Y chromosome deletions in subinterval E of interval 6 supports the existence of an oligozoospermia critical region outside the DAZ gene, **881**
Y specific growth gene(s), The Y specific growth gene(s): how does it promote stature?: *hypothesis*, **323**
Y^{adv}, Characterisation of a satellited non-fluorescent Y chromosome (Y^{adv}) by FISH, **817**